

**Publication list 1981-2009**  
**Department of Biochemistry and Molecular Biology**

**2009**

- Almeida, P. E., Silva, A. R., Maya-Monteiro, C. M., Torocsik, D., D'Avila, H., Dezso, B., Magalhaes, K. G., Castro-Faria-Neto, H. C., Nagy, L. and Bozza, P. T. (2009). Mycobacterium bovis bacillus Calmette-Guerin infection induces TLR2-dependent peroxisome proliferator-activated receptor gamma expression and activation: functions in inflammation, lipid metabolism, and pathogenesis. *J Immunol*, **183**, 1337-45.
- Bagossi, P., Bander, P., Bozoki, B. and Tozser, J. (2009). Discovery and significance of new Human T-lymphotropic Viruses: HTLV-3 and HTLV-4. *Expert Review of Anti-infective Therapy*, **in press**.
- Beck, Z., Kis, A., Berenyi, E., Kovacs, P., Fesus, L. and Aradi, J. (2009). 4-Thio-uridylate (UD29) interferes with the function of protein -SH and inhibits HIV replication in vitro. *Pharmacol Rep*, **61**, 343-7.
- Boross, P., Bagossi, P., Weber, I. T. and Tozser, J. (2009). Drug Targets in Human T-Lymphotropic Virus Type 1 (HTLV-1) Infection. *Infect Disord Drug Targets*, **9**, 159-71.
- Csanky, E., Ruhl, R., Scholtz, B., Vasko, A., Takacs, L. and Hempel, W. M. (2009). Lipid metabolite levels of prostaglandin D2 and eicosapentaenoic acid recovered from bronchoalveolar lavage fluid correlate with lung function of chronic obstructive pulmonary disease patients and controls. *Electrophoresis*, **30**, 1228-34.
- Csosz, E., Mesko, B. and Fesus, L. (2009). Transdab wiki: the interactive transglutaminase substrate database on web 2.0 surface. *Amino Acids*, **36**, 615-7.
- Gericke, J., Gamlieli, A., Weiss, K. and Ruhl, R. (2009). Comment on "Cutting edge: inhibition of NF-kappa B-mediated TSLP expression by retinoid X receptor". *J Immunol*, **182**, 3; author reply 3.
- Kovacs, L., Alexa, A., Klement, E., Kokai, E., Tantos, A., Gogl, G., Sperka, T., Medzihradsky, K. F., Tozser, J., Dombradi, V. and Friedrich, P. (2009). Regulation of calpain B from Drosophila melanogaster by phosphorylation. *FEBS J*, **276**, 4959-72.
- Nemes, Z. and Fesus, L. (2009). Methods to analyze transglutamination of proteins involved in apoptosis. *Methods Mol Biol*, **559**, 107-16.
- Nemes, Z., Petrovski, G., Aerts, M., Sergeant, K., Devreese, B. and Fesus, L. (2009). Transglutaminase-mediated intramolecular cross-linking of membrane-bound alpha-synuclein promotes amyloid formation in Lewy bodies. *J Biol Chem*, **284**, 27252-64.
- Petras, M., Hutoczi, G., Varga, I., Vereb, G., Szollosi, J., Bognar, L., Ruzsithi, P., Kenyeres, A., Toth, J., Hanzely, Z., Scholtz, B. and Klekner, A. (2009). [Expression pattern of invasion-related molecules in cerebral tumors of different origin.]. *Magy Onkol*, **53**, 253-8.
- Roszer, T., Jozsa, T., Szentmiklosi, A. J. and Banfalvi, G. (2009). Acetylcholine inhibits nitric oxide (NO) synthesis in the gastropod nervous system. *Cell Tissue Res*, **336**, 325-35.
- Ruhl, R. (2009). [Retinoids, vitamin A and pro-vitamin A carotenoids. Regulation of the immune system and allergies]. *Pharm Unserer Zeit*, **38**, 126-31.
- Sarang, Z., Toth, B., Balajthy, Z., Koroskenyi, K., Garabuczi, E., Fesus, L. and Szondy, Z. (2009). Some lessons from the tissue transglutaminase knockout mouse. *Amino Acids*, **36**, 625-31.
- Szeles, L., Keresztes, G., Torocsik, D., Balajthy, Z., Krenacs, L., Poliska, S., Steinmeyer, A., Zuegel, U., Pruenster, M., Rot, A. and Nagy, L. (2009). 1,25-dihydroxyvitamin D3 is an autonomous regulator of the transcriptional changes leading to a tolerogenic dendritic cell phenotype. *J Immunol*, **182**, 2074-83.
- Torocsik, D., Szanto, A. and Nagy, L. (2009). Oxysterol signaling links cholesterol metabolism and inflammation via the liver X receptor in macrophages. *Mol Aspects Med*, **30**, 134-52.
- Toth, B., Garabuczi, E., Sarang, Z., Vereb, G., Vamosi, G., Aeschlimann, D., Blasko, B., Becsi, B., Erdodi, F., Lacy-Hulbert, A., Zhang, A., Falasca, L., Birge, R. B., Balajthy, Z., Melino, G., Fesus, L. and Szondy, Z. (2009a). Transglutaminase 2 is needed for the formation of an efficient phagocyte portal in macrophages engulfing apoptotic cells. *J Immunol*, **182**, 2084-92.
- Toth, B., Sarang, Z., Vereb, G., Zhang, A., Tanaka, S., Melino, G., Fesus, L. and Szondy, Z. (2009b). Over-expression of integrin beta3 can partially overcome the defect of integrin beta3 signaling in transglutaminase 2 null macrophages. *Immunol Lett*, **126**, 22-8.
- Toth, B. I., Geczy, T., Griger, Z., Dozsa, A., Seltmann, H., Kovacs, L., Nagy, L., Zouboulis, C. C., Paus, R. and Biro, T. (2009c). Transient receptor potential vanilloid-1 signaling as a regulator of human sebocyte biology. *J Invest Dermatol*, **129**, 329-39.
- Zhang, D., Tozser, J. and Waugh, D. S. (2009). Molecular cloning, overproduction, purification and biochemical characterization of the p39 nsp2 protease domains encoded by three alphaviruses. *Protein Expr Purif*, **64**, 89-97.

- Balajthy, Z. (2008). Synthesis and evaluation of macromolecule-bound derivatives of a peptidyl-1-beta-D-arabinofuranosylcytosine prodrug. *Drug Metab Lett*, **2**, 83-9.
- Balogh, A., Paragh, G., Jr., Juhasz, A., Kobling, T., Torocsik, D., Miko, E., Varga, V., Emri, G., Horkay, I., Scholtz, B. and Remenyik, E. (2008). Reference genes for quantitative real time PCR in UVB irradiated keratinocytes. *J Photochem Photobiol B*, **93**, 133-9.
- Benko, S., Tozser, J., Miklossy, G., Varga, A., Kadas, J., Csutak, A., Berta, A. and Rajnavolgyi, E. (2008). Constitutive and UV-B modulated transcription of Nod-like receptors and their functional partners in human corneal epithelial cells. *Mol Vis*, **14**, 1575-83.
- Bursch, W., Karwan, A., Mayer, M., Dornetshuber, J., Frohwein, U., Schulte-Hermann, R., Fazi, B., Di Sano, F., Piredda, L., Piacentini, M., Petrovski, G., Fesus, L. and Gerner, C. (2008). Cell death and autophagy: cytokines, drugs, and nutritional factors. *Toxicology*, **254**, 147-57.
- Csosz, E., Bagossi, P., Nagy, Z., Dosztanyi, Z., Simon, I. and Fesus, L. (2008). Substrate Preference of Transglutaminase 2 Revealed by Logistic Regression Analysis and Intrinsic Disorder Examination. *J Mol Biol*, **383**, 390-402.
- Csutak, A., Silver, D. M., Tozser, J., Steiber, Z., Bagossi, P., Hassan, Z. and Berta, A. (2008). Plasminogen activator inhibitor in human tears after laser refractive surgery. *J Cataract Refract Surg*, **34**, 897-901.
- Dobrosi, N., Toth, B. I., Nagy, G., Dozsa, A., Geczy, T., Nagy, L., Zouboulis, C. C., Paus, R., Kovacs, L. and Biro, T. (2008). Endocannabinoids enhance lipid synthesis and apoptosis of human sebocytes via cannabinoid receptor-2-mediated signaling. *FASEB J*, **22**, 3685-95.
- Eizert, H., Bander, P., Bagossi, P., Sperka, T., Miklossy, G., Boross, P., Weber, I. T. and Tozser, J. (2008). Amino acid preferences of retroviral proteases for amino-terminal positions in a type 1 cleavage site. *J Virol*, **82**, 10111-7.
- Gyongyosi, A. and Nagy, L. (2008). Potential Therapeutic Use of PPARgamma-Programed Human Monocyte-Derived Dendritic Cells in Cancer Vaccination Therapy. *PPAR Res*, **2008**, 473804.
- Itoh, T., Fairall, L., Amin, K., Inaba, Y., Szanto, A., Balint, B. L., Nagy, L., Yamamoto, K. and Schwabe, J. W. (2008). Structural basis for the activation of PPARgamma by oxidized fatty acids. *Nat Struct Mol Biol*, **15**, 924-31.
- Kadas, J., Boross, P., Weber, I. T., Bagossi, P., Matuz, K. and Tozser, J. (2008). C-terminal residues of mature human T-lymphotropic virus type 1 protease are critical for dimerization and catalytic activity. *Biochem J*, **416**, 357-64.
- Kakuk, A., Friedlander, E., Vereb, G., Jr., Lisboa, D., Bagossi, P., Toth, G., Gergely, P. and Vereb, G. (2008). Nuclear and nucleolar localization signals and their targeting function in phosphatidylinositol 4-kinase PI4K230. *Exp Cell Res*, **314**, 2376-88.
- Kiss-Toth, E. and Roszer, T. (2008). PPARgamma in Kidney Physiology and Pathophysiology. *PPAR Res*, **2008**, 183108.
- Kiss, F., Buslig, J., Szegedi, I., Scholtz, B., Kappelmayer, J. and Kiss, C. (2008a). Early relapse after rituximab chemoimmunotherapy. *Pediatr Blood Cancer*, **50**, 372-5.
- Kiss, I., Ruhl, R., Szegezd, E., Fritzsche, B., Toth, B., Pongracz, J., Perlmann, T., Fesus, L. and Szondy, Z. (2008b). Retinoid receptor-activating ligands are produced within the mouse thymus during postnatal development. *Eur J Immunol*, **38**, 147-55.
- Klionsky, D. J., Abeliovich, H., Agostinis, P., Agrawal, D. K., Aliev, G., Askew, D. S., Baba, M., Baehrecke, E. H., Bahr, B. A., Ballabio, A., et al. (2008). Guidelines for the use and interpretation of assays for monitoring autophagy in higher eukaryotes. *Autophagy*, **4**, 151-75.
- Koch, C., Dolle, S., Metzger, M., Rasche, C., Jungclas, H., Ruhl, R., Renz, H. and Worm, M. (2008). Docosahexaenoic acid (DHA) supplementation in atopic eczema: a randomized, double-blind, controlled trial. *Br J Dermatol*, **158**, 786-92.
- Kókai, E., Bagossi, P. and Dombradi, V. (2008). A protein foszfátáz 1, egy sokoldalú ősi enzim. *Biokémia*, **32**, 22-33.
- Korponay-Szabo, I. R., Vecsei, Z., Kiraly, R., Dahlbom, I., Chirido, F., Nemes, E., Fesus, L. and Maki, M. (2008). Deamidated gliadin peptides form epitopes that transglutaminase antibodies recognize. *J Pediatr Gastroenterol Nutr*, **46**, 253-61.
- Madi, A., Mikkat, S., Koy, C., Ringel, B., Thiesen, H. J. and Glocker, M. O. (2008). Mass spectrometric proteome analysis suggests anaerobic shift in metabolism of Dauer larvae of *Caenorhabditis elegans*. *Biochim Biophys Acta*, **1784**, 1763-70.
- Mendelboum Raviv, S., Horvath, A., Aradi, J., Bagoly, Z., Fazakas, F., Batta, Z., Muszbek, L. and Harsfalvi, J. (2008). 4-thio-deoxyuridylate-modified thrombin aptamer and its inhibitory effect on fibrin clot formation, platelet aggregation and thrombus growth on subendothelial matrix. *J Thromb Haemost*, **6**, 1764-71.
- Menendez-Arias, L. and Tozser, J. (2008). HIV-1 protease inhibitors: effects on HIV-2 replication and resistance. *Trends Pharmacol Sci*, **29**, 42-9.
- Miklossy, G., Tozser, J., Kadas, J., Ishima, R., Louis, J. M. and Bagossi, P. (2008). Novel macromolecular inhibitors of human immunodeficiency virus-1 protease. *Protein Eng Des Sel*, **21**, 453-61.
- Nagy, L. and Tontonoz, P. (2008). Of Vitruvian mice and men - Preface. *Febs Letters*, **582**, 1-1.

- Pocsi, I., Jeney, V., Kertai, P., Emri, T., Gyemant, G., Fesus, L., Balla, J. and Balla, G. (2008). Fungal siderophores function as protective agents of LDL oxidation and are promising anti-atherosclerotic metabolites in functional food. *Mol Nutr Food Res*, **52**, 1434-47.
- Ruhl, R., Bub, A. and Watzl, B. (2008a). Modulation of plasma all-trans retinoic acid concentrations by the consumption of carotenoid-rich vegetables. *Nutrition*, **24**, 1224-6.
- Ruhl, R., Koch, C., Marosvolgyi, T., Mihaly, J., Schweigert, F. J., Worm, M. and Decsi, T. (2008b). Fatty acid composition of serum lipid classes in mice following allergic sensitisation with or without dietary docosahexaenoic acid-enriched fish oil substitution. *Br J Nutr*, **99**, 1239-46.
- Seres, L., Cserepes, J., Elkind, N. B., Torocsik, D., Nagy, L., Sarkadi, B. and Homolya, L. (2008). Functional ABCG1 expression induces apoptosis in macrophages and other cell types. *Biochim Biophys Acta*, **1778**, 2378-87.
- Szanto, A. and Nagy, L. (2008). The many faces of PPARgamma: anti-inflammatory by any means? *Immunobiology*, **213**, 789-803.
- Szanto, A. and Roszer, T. (2008). Nuclear receptors in macrophages: a link between metabolism and inflammation. *FEBS Lett*, **582**, 106-16.
- Szatmari, I. and Nagy, L. (2008). Nuclear receptor signalling in dendritic cells connects lipids, the genome and immune function. *EMBO J*, **27**, 2353-62.
- Szegedi, I., Katona, K., Horvath, A., Molnar, A., Aradi, J. and Kiss, C. (2008). Bcl-2 antisense oligonucleotide inhibits the proliferation of childhood leukemia/lymphoma cells of the B-cell lineage. *Pathol Oncol Res*, **14**, 275-9.
- Tarkanyi, I. and Aradi, J. (2008). Pharmacological intervention strategies for affecting telomerase activity: future prospects to treat cancer and degenerative disease. *Biochimie*, **90**, 156-72.
- Vamosi, G., Baudendistel, N., von der Lieth, C. W., Szaloki, N., Mocsar, G., Muller, G., Brazda, P., Waldeck, W., Damjanovich, S., Langowski, J. and Toth, K. (2008). Conformation of the c-Fos/c-Jun complex in vivo: a combined FRET, FCCS, and MD-modeling study. *Biophys J*, **94**, 2859-68.
- Varga, T. and Nagy, L. (2008). Nuclear receptors, transcription factors linking lipid metabolism and immunity: the case of peroxisome proliferator-activated receptor gamma. *Eur J Clin Invest*, **38**, 695-707.

## 2007

- Amano, M., Koh, Y., Das, D., Li, J., Leschenko, S., Wang, Y. F., Boross, P. I., Weber, I. T., Ghosh, A. K. and Mitsuya, H. (2007). A novel bis-tetrahydrofuranlyurethane-containing nonpeptidic protease inhibitor (PI), GRL-98065, is potent against multiple-PI-resistant human immunodeficiency virus in vitro. *Antimicrob Agents Chemother*, **51**, 2143-55.
- Brugos, L., Gesztelyi, R., Zsuga, J., Cseppento, A., Benko, I., Galajda, Z., Deak, G., Sipka, S., Roszer, T., Kovacs, P., Szilasi, M., Edes, I. and Szentmiklosi, A. J. (2007). Modulation of adenosine-induced responses in the guinea-pig trachea during long-term caffeine treatment: possible role of epithelium. *J Pharmacol Sci*, **105**, 279-90.
- Csanky, E., Olivova, P., Rajnavolgyi, E., Hempel, W., Tardieu, N., Katalin, E. T., Jullien, A., Malderez-Bloes, C., Kuras, M., Duval, M. X., Nagy, L., Scholtz, B., Hancock, W., Karger, B., Guttman, A. and Takacs, L. (2007). Monoclonal antibody proteomics: discovery and prevalidation of chronic obstructive pulmonary disease biomarkers in a single step. *Electrophoresis*, **28**, 4401-6.
- Fritzsche, B., Vermot, J., Neumann, U., Schmidt, A., Schweigert, F. J., Dolle, P. and Ruhl, R. (2007). Regulation of expression of the retinoic acid metabolizing enzyme CYP26A1 in uteri of ovariectomized mice after treatment with ovarian steroid hormones. *Mol Reprod Dev*, **74**, 258-64.
- Gogolak, P., Rethi, B., Szatmari, I., Lanyi, A., Dezso, B., Nagy, L. and Rajnavolgyi, E. (2007). Differentiation of CD1a- and CD1a+ monocyte-derived dendritic cells is biased by lipid environment and PPARgamma. *Blood*, **109**, 643-52.
- Kornyei, Z., Gocza, E., Ruhl, R., Orsolits, B., Voros, E., Szabo, B., Vagovits, B. and Madarasz, E. (2007). Astroglia-derived retinoic acid is a key factor in glia-induced neurogenesis. *FASEB J*, **21**, 2496-509.
- Majai, G., Sarang, Z., Csomos, K., Zahuczky, G. and Fesus, L. (2007). PPARgamma-dependent regulation of human macrophages in phagocytosis of apoptotic cells. *Eur J Immunol*, **37**, 1343-54.
- Olivares, I., Mulky, A., Boross, P. I., Tozser, J., Kappes, J. C., Lopez-Galindez, C. and Menendez-Arias, L. (2007). HIV-1 protease dimer interface mutations that compensate for viral reverse transcriptase instability in infectious virions. *J Mol Biol*, **372**, 369-81.
- Petrovski, G., Zahuczky, G., Katona, K., Vereb, G., Martinet, W., Nemes, Z., Bursch, W. and Fesus, L. (2007a). Clearance of dying autophagic cells of different origin by professional and non-professional phagocytes. *Cell Death Differ*, **14**, 1117-28.
- Petrovski, G., Zahuczky, G., Majai, G. and Fesus, L. (2007b). Phagocytosis of cells dying through autophagy evokes a pro-inflammatory response in macrophages. *Autophagy*, **3**, 509-11.
- Pinter, G., Batta, G., Horvath, P., Loki, I., Kurtan, T., Antus, S., Keki, S., Zsuga, M., Nagy, G., Aradi, J., Gunda, T. and Herczegh, P. (2007). Supramolecular polymers based on the quadruplex formation of ditopic guanosine macromonomers in nonaqueous media. *Langmuir*, **23**, 5283-5.
- Ruhl, R. (2007). Effects of dietary retinoids and carotenoids on immune development. *Proc Nutr Soc*, **66**, 458-69.

- Ruhl, R., Hanel, A., Garcia, A. L., Dahten, A., Herz, U., Schweigert, F. J. and Worm, M. (2007). Role of vitamin A elimination or supplementation diets during postnatal development on the allergic sensitisation in mice. *Mol Nutr Food Res*, **51**, 1173-81.
- Sarang, Z., Madi, A., Koy, C., Varga, S., Glocker, M. O., Ucker, D. S., Kuchay, S., Chishti, A. H., Melino, G., Fesus, L. and Szondy, Z. (2007). Tissue transglutaminase (TG2) facilitates phosphatidylserine exposure and calpain activity in calcium-induced death of erythrocytes. *Cell Death Differ*, **14**, 1842-4.
- Sperka, T., Miklossy, G., Tie, Y., Bagossi, P., Zahuczky, G., Boross, P., Matuz, K., Harrison, R. W., Weber, I. T. and Tozser, J. (2007). Bovine leukemia virus protease: comparison with human T-lymphotropic virus and human immunodeficiency virus proteases. *J Gen Virol*, **88**, 2052-63.
- Szatmari, I., Torocsik, D., Agostini, M., Nagy, T., Gurnell, M., Barta, E., Chatterjee, K. and Nagy, L. (2007). PPARgamma regulates the function of human dendritic cells primarily by altering lipid metabolism. *Blood*, **110**, 3271-80.
- Szekvolgyi, L., Rakosy, Z., Balint, B. L., Kokai, E., Imre, L., Vereb, G., Bacso, Z., Goda, K., Varga, S., Balazs, M., Dombradi, V., Nagy, L. and Szabo, G. (2007). Ribonucleoprotein-masked nicks at 50-kbp intervals in the eukaryotic genomic DNA. *Proc Natl Acad Sci U S A*, **104**, 14964-9.
- Szeles, L., Torocsik, D. and Nagy, L. (2007). PPARgamma in immunity and inflammation: cell types and diseases. *Biochim Biophys Acta*, **1771**, 1014-30.
- Szollosi, Z., Scholtz, B., Egervari, K. and Nemes, Z. (2007). Transformed dermatofibrosarcoma protuberans: real time polymerase chain reaction detection of COL1A1-PDGFB fusion transcripts in sarcomatous areas. *J Clin Pathol*, **60**, 190-4.
- Tie, Y., Kovalevsky, A. Y., Boross, P., Wang, Y. F., Ghosh, A. K., Tozser, J., Harrison, R. W. and Weber, I. T. (2007). Atomic resolution crystal structures of HIV-1 protease and mutants V82A and I84V with saquinavir. *Proteins*, **67**, 232-42.
- Tozser, J. and Weber, I. T. (2007). The protease of human T-cell leukemia virus type-1 is a potential therapeutic target. *Curr Pharm Des*, **13**, 1285-94.
- Varga, A., Bagossi, P., Tozser, J., Peitl, B. and Szilvassy, Z. (2007). Effect of experimental hypercholesterolaemia on K<sup>+</sup> channel alpha-subunit mRNA levels in rabbit hearts. *Eur J Pharmacol*, **562**, 130-1.
- Wang, Y. F., Tie, Y., Boross, P. I., Tozser, J., Ghosh, A. K., Harrison, R. W. and Weber, I. T. (2007). Potent new antiviral compound shows similar inhibition and structural interactions with drug resistant mutants and wild type HIV-1 protease. *J Med Chem*, **50**, 4509-15.

## 2006

- Agostini, M., Schoenmakers, E., Mitchell, C., Szatmari, I., Savage, D., Smith, A., Rajanayagam, O., Semple, R., Luan, J., Bath, L., et al. (2006). Non-DNA binding, dominant-negative, human PPARgamma mutations cause lipodystrophic insulin resistance. *Cell Metab*, **4**, 303-11.
- Bak, I., Lekli, I., Juhasz, B., Nagy, N., Varga, E., Varadi, J., Gesztelyi, R., Szabo, G., Szendrei, L., Bacskey, I., Vecsernyes, M., Antal, M., Fesus, L., Boucher, F., de Leiris, J. and Tosaki, A. (2006). Cardioprotective mechanisms of *Prunus cerasus* (sour cherry) seed extract against ischemia-reperfusion-induced damage in isolated rat hearts. *Am J Physiol Heart Circ Physiol*, **291**, H1329-36.
- Balajthy, Z., Csomos, K., Vamosi, G., Szanto, A., Lanotte, M. and Fesus, L. (2006). Tissue-transglutaminase contributes to neutrophil granulocyte differentiation and functions. *Blood*, **108**, 2045-54.
- Balint, B. L. and Nagy, L. (2006). Selective modulators of PPAR activity as new therapeutic tools in metabolic diseases. *Endocr Metab Immune Disord Drug Targets*, **6**, 33-43.
- Banfalvi, G., Nagy, G., Gacsi, M., Roszer, T. and Basnakian, A. G. (2006). Common pathway of chromosome condensation in Mammalian cells. *DNA Cell Biol*, **25**, 295-301.
- Boross, P., Tozser, J. and Bagossi, P. (2006). Improved purification protocol for wild-type and mutant human foamy virus proteases. *Protein Expr Purif*, **46**, 343-7.
- Eckhardt, E. R., Cai, L., Shetty, S., Zhao, Z., Szanto, A., Webb, N. R. and Van der Westhuyzen, D. R. (2006). High density lipoprotein endocytosis by scavenger receptor SR-BII is clathrin-dependent and requires a carboxyl-terminal dileucine motif. *J Biol Chem*, **281**, 4348-53.
- Fang, B., Boross, P. I., Tozser, J. and Weber, I. T. (2006). Structural and kinetic analysis of caspase-3 reveals role for s5 binding site in substrate recognition. *J Mol Biol*, **360**, 654-66.
- Feher, A., Boross, P., Sperka, T., Miklossy, G., Kadas, J., Bagossi, P., Oroszlan, S., Weber, I. T. and Tozser, J. (2006). Characterization of the murine leukemia virus protease and its comparison with the human immunodeficiency virus type 1 protease. *J Gen Virol*, **87**, 1321-30.
- Fesus, L. and Szondy, Z. (2006). 13th Euroconference on apoptosis. *Cell Death Differ*, **13**, 1242-4.
- Horvath, A., Beck, Z., Bardos, T. J., Dunn, J. A. and Aradi, J. (2006). Effect of the extent of thiolation and introduction of phosphorothioate internucleotide linkages on the anti-HIV activity of Suligovir [(s4dU)35]. *Bioorg Med Chem Lett*, **16**, 5321-3.
- Katona, K., Herczegh, P., Kappelmayer, J., Fesus, L. and Aradi, J. (2006). Deoxy-adenosine-monophosphate (dAMP) di-n-butylester induces apoptosis by increasing the dATP level in HL-60 cells. *Cancer Lett*, **235**, 281-90.

- Kemeny-Beke, A., Aradi, J., Damjanovich, J., Beck, Z., Facsko, A., Berta, A. and Bodnar, A. (2006a). Apoptotic response of uveal melanoma cells upon treatment with chelidonine, sanguinarine and chelerythrine. *Cancer Lett*, **237**, 67-75.
- Kemeny-Beke, A., Berenyi, E., Facsko, A., Damjanovich, J., Horvath, A., Bodnar, A., Berta, A. and Aradi, J. (2006b). Antiproliferative effect of 4-thiouridylate on OCM-1 uveal melanoma cells. *Eur J Ophthalmol*, **16**, 680-5.
- Keresztessy, Z., Csoz, E., Harsfalvi, J., Csomos, K., Gray, J., Lightowers, R. N., Lakey, J. H., Balajthy, Z. and Fesus, L. (2006). Phage display selection of efficient glutamine-donor substrate peptides for transglutaminase 2. *Protein Sci*, **15**, 2466-80.
- Kiraly, R., Vecsei, Z., Demenyi, T., Korponay-Szabo, I. R. and Fesus, L. (2006). Coeliac autoantibodies can enhance transamidating and inhibit GTPase activity of tissue transglutaminase: dependence on reaction environment and enzyme fitness. *J Autoimmun*, **26**, 278-87.
- Kiss, I., Oskolas, H., Toth, R., Bouillet, P., Toth, K., Fulop, A., Scholtz, B., Ledent, C., Fesus, L. and Szondy, Z. (2006). Adenosine A2A receptor-mediated cell death of mouse thymocytes involves adenylyl cyclase and Bim and is negatively regulated by Nur77. *Eur J Immunol*, **36**, 1559-71.
- Kovalevsky, A. Y., Tie, Y., Liu, F., Boross, P. I., Wang, Y. F., Leshchenko, S., Ghosh, A. K., Harrison, R. W. and Weber, I. T. (2006). Effectiveness of nonpeptide clinical inhibitor TMC-114 on HIV-1 protease with highly drug resistant mutations D30N, I50V, and L90M. *J Med Chem*, **49**, 1379-87.
- Liu, F., Kovalevsky, A. Y., Louis, J. M., Boross, P. I., Wang, Y. F., Harrison, R. W. and Weber, I. T. (2006). Mechanism of drug resistance revealed by the crystal structure of the unliganded HIV-1 protease with F53L mutation. *J Mol Biol*, **358**, 1191-9.
- Majai, G., Petrovski, G. and Fesus, L. (2006). Inflammation and the apopto-phagocytic system. *Immunol Lett*, **104**, 94-101.
- Mitchell, M. S., Tozser, J., Princler, G., Lloyd, P. A., Auth, A. and Derse, D. (2006). Synthesis, processing, and composition of the virion-associated HTLV-1 reverse transcriptase. *J Biol Chem*, **281**, 3964-71.
- Nagy, L., Schule, R. and Gronemeyer, H. (2006). Twenty years of nuclear receptors: Conference on Nuclear Receptors: from Chromatin to Disease. *EMBO Rep*, **7**, 579-84.
- Pendino, F., Tarkanyi, I., Dudognon, C., Hillion, J., Lanotte, M., Aradi, J. and Segal-Bendirdjian, E. (2006). Telomeres and telomerase: Pharmacological targets for new anticancer strategies? *Curr Cancer Drug Targets*, **6**, 147-80.
- Rethi, B., Gogolak, P., Szatmari, I., Veres, A., Erdos, E., Nagy, L., Rajnavolgyi, E., Terhorst, C. and Lanyi, A. (2006). SLAMF7/SLAM interactions inhibit CD40-induced production of inflammatory cytokines in monocyte-derived dendritic cells. *Blood*, **107**, 2821-9.
- Roszer, T., Kappelmayer, J., Nagy, G. G., Szentmiklosi, A. J., Basnakian, A. G. and Banfalvi, G. (2006a). The neuropeptide FMRFamide can protect cells against apoptosis in the snail digestive gland. *Apoptosis*, **11**, 173-82.
- Roszer, T., Kiss-Toth, E., Petko, M., Szentmiklosi, A. J. and Banfalvi, G. (2006b). Phe-met-arg-phe (FMRF)-amide is a substrate source of NO synthase in the gastropod nervous system. *Cell Tissue Res*, **325**, 567-75.
- Ruhl, R. (2006). Method to determine 4-oxo-retinoic acids, retinoic acids and retinol in serum and cell extracts by liquid chromatography/diode-array detection atmospheric pressure chemical ionisation tandem mass spectrometry. *Rapid Commun Mass Spectrom*, **20**, 2497-504.
- Ruhl, R., Fritzsche, B., Vermot, J., Niederreither, K., Neumann, U., Schmidt, A., Schweigert, F. J. and Dolle, P. (2006). Regulation of expression of the retinoic acid-synthesising enzymes retinaldehyde dehydrogenases in the uteri of ovariectomised mice after treatment with oestrogen, gestagen and their combination. *Reprod Fertil Dev*, **18**, 339-45.
- Salmi, T. T., Collin, P., Korponay-Szabo, I. R., Laurila, K., Partanen, J., Huhtala, H., Kiraly, R., Lorand, L., Reunala, T., Maki, M. and Kaukinen, K. (2006). Endomysial antibody-negative coeliac disease: clinical characteristics and intestinal autoantibody deposits. *Gut*, **55**, 1746-53.
- Sperka, T., Boross, P., Eizert, H., Tozser, J. and Bagossi, P. (2006). Effect of mutations on the dimer stability and the pH optimum of the human foamy virus protease. *Protein Eng Des Sel*, **19**, 369-75.
- Szatmari, I., Pap, A., Ruhl, R., Ma, J. X., Illarionov, P. A., Besra, G. S., Rajnavolgyi, E., Dezso, B. and Nagy, L. (2006a). PPARgamma controls CD1d expression by turning on retinoic acid synthesis in developing human dendritic cells. *J Exp Med*, **203**, 2351-62.
- Szatmari, I., Rajnavolgyi, E. and Nagy, L. (2006b). PPARgamma, a lipid-activated transcription factor as a regulator of dendritic cell function. *Ann N Y Acad Sci*, **1088**, 207-18.
- Szatmari, I., Vamosi, G., Brazda, P., Balint, B. L., Benko, S., Szeles, L., Jeney, V., Ozvegy-Laczka, C., Szanto, A., Barta, E., Balla, J., Sarkadi, B. and Nagy, L. (2006c). Peroxisome proliferator-activated receptor gamma-regulated ABCG2 expression confers cytoprotection to human dendritic cells. *J Biol Chem*, **281**, 23812-23.
- Szekvolgyi, L., Balint, B. L., Imre, L., Goda, K., Szabo, M., Nagy, L. and Szabo, G. (2006). Chip-on-beads: flow-cytometric evaluation of chromatin immunoprecipitation. *Cytometry A*, **69**, 1086-91.
- Széles, L., Töröcsik, D. and Nagy, L. (2006). The role of PPAR- $\gamma$ , a lipid activated transcription factor. At the crossroads of lipid metabolism and inflammation. *B.I.F. Futura*, **21**, 79-85.
- Szondy, Z., Mastroberardino, P. G., Varadi, J., Farrace, M. G., Nagy, N., Bak, I., Viti, I., Wieckowski, M. R., Melino, G., Rizzuto, R., Tosaki, A., Fesus, L. and Piacentini, M. (2006). Tissue transglutaminase (TG2) protects

- cardiomyocytes against ischemia/reperfusion injury by regulating ATP synthesis. *Cell Death Differ*, **13**, 1827-9.
- Tozser, J., Shulenin, S., Young, M. R., Briggs, C. J. and Oroszlan, S. (2006). Replication-dependent fitness recovery of Human immunodeficiency virus 1 harbouring mutations of Asn17 of the nucleocapsid protein. *J Gen Virol*, **87**, 961-5.
- Wu, Y. L., Dudognon, C., Nguyen, E., Hillion, J., Pendino, F., Tarkanyi, I., Aradi, J., Lanotte, M., Tong, J. H., Chen, G. Q. and Segal-Bendirdjian, E. (2006). Immunodetection of human telomerase reverse-transcriptase (hTERT) re-appraised: nucleolin and telomerase cross paths. *J Cell Sci*, **119**, 2797-806.

## 2005

- Bagossi, P., Horvath, G., Vereb, G., Szollosi, J. and Tozser, J. (2005a). Molecular modeling of nearly full-length ErbB2 receptor. *Biophys J*, **88**, 1354-63.
- Bagossi, P., Sperka, T., Feher, A., Kadas, J., Zahuczky, G., Miklossy, G., Boross, P. and Tozser, J. (2005b). Amino acid preferences for a critical substrate binding subsite of retroviral proteases in type 1 cleavage sites. *J Virol*, **79**, 4213-8.
- Balint, B. L., Gabor, P. and Nagy, L. (2005a). Genome-wide localization of histone 4 arginine 3 methylation in a differentiation primed myeloid leukemia cell line. *Immunobiology*, **210**, 141-52.
- Balint, B. L., Szanto, A., Madi, A., Bauer, U. M., Gabor, P., Benko, S., Puskas, L. G., Davies, P. J. and Nagy, L. (2005b). Arginine methylation provides epigenetic transcription memory for retinoid-induced differentiation in myeloid cells. *Mol Cell Biol*, **25**, 5648-63.
- Bistey, T., Jenei, A., Szondy, Z., Nagy, P. I. and Hegedus, C. (2005). [In vitro study of the effects of 10-30 % hydrogen peroxide solutions on the surface of human tooth enamel]. *Fogorv Sz*, **98**, 245-50.
- Fesus, L. and Szondy, Z. (2005). Transglutaminase 2 in the balance of cell death and survival. *FEBS Lett*, **579**, 3297-302.
- Garcia, A. L., Ruhl, R. and Schweigert, F. J. (2005). Retinoid concentrations in the mouse during postnatal development and after maternal vitamin A supplementation. *Ann Nutr Metab*, **49**, 333-41.
- Horvath, A. and Aradi, J. (2005). Advantages of sodium perchlorate solution as mobile phase for purification of synthetic oligonucleotides by anion exchange chromatography. *Anal Biochem*, **338**, 341-3.
- Horvath, A., Tokes, S., Hartman, T., Watson, K., Turpin, J. A., Buckheit, R. W., Jr., Sebestyen, Z., Szollosi, J., Benko, I., Bardos, T. J., Dunn, J. A., Fesus, L., Toth, F. D. and Aradi, J. (2005). Potent inhibition of HIV-1 entry by (s4dU)35. *Virology*, **334**, 214-23.
- Kappelmayer, J., Simon, A., Katona, E., Szanto, A., Nagy, L., Kiss, A., Kiss, C. and Muszbek, L. (2005). Coagulation factor XIII-A. A flow cytometric intracellular marker in the classification of acute myeloid leukemias. *Thromb Haemost*, **94**, 454-9.
- Korponay-Szabo, I. R., Raivio, T., Laurila, K., Opre, J., Kiraly, R., Kovacs, J. B., Kaukinen, K., Fesus, L. and Maki, M. (2005). Coeliac disease case finding and diet monitoring by point-of-care testing. *Aliment Pharmacol Ther*, **22**, 729-37.
- Liu, F., Boross, P. I., Wang, Y. F., Tozser, J., Louis, J. M., Harrison, R. W. and Weber, I. T. (2005). Kinetic, stability, and structural changes in high-resolution crystal structures of HIV-1 protease with drug-resistant mutations L24I, I50V, and G73S. *J Mol Biol*, **354**, 789-800.
- Ludanyi, K., Nagy, Z. S., Alexa, M., Reichert, U., Michel, S., Fesus, L. and Szondy, Z. (2005). Ligation of RARgamma inhibits proliferation of phytohaemagglutinin-stimulated T-cells via down-regulating JAK3 protein levels. *Immunol Lett*, **98**, 103-13.
- Madi, A., Karpati, L., Kovacs, A., Muszbek, L. and Fesus, L. (2005). High-throughput scintillation proximity assay for transglutaminase activity measurement. *Anal Biochem*, **343**, 256-62.
- Nagy, L. and Szanto, A. (2005). Roles for lipid-activated transcription factors in atherosclerosis. *Mol Nutr Food Res*, **49**, 1072-4.
- Nemes, Z., Petrovski, G., Csoz, E. and Fesus, L. (2005a). Structure-function relationships of transglutaminases--a contemporary view. *Prog Exp Tumor Res*, **38**, 19-36.
- Nemes, Z., Petrovski, G. and Fesus, L. (2005b). Tools for the detection and quantitation of protein transglutamination. *Anal Biochem*, **342**, 1-10.
- Page, A. R., Kovacs, A., Deak, P., Torok, T., Kiss, I., Dario, P., Bastos, C., Batista, P., Gomes, R., Ohkura, H., Russell, S. and Glover, D. M. (2005). Spotted-dick, a zinc-finger protein of *Drosophila* required for expression of *Orc4* and *S* phase. *EMBO J*, **24**, 4304-15.
- Puvogel, G., Baumrucker, C. R., Sauerwein, H., Ruhl, R., Ontsouka, E., Hammon, H. M. and Blum, J. W. (2005). Effects of an enhanced vitamin A intake during the dry period on retinoids, lactoferrin, IGF system, mammary gland epithelial cell apoptosis, and subsequent lactation in dairy cows. *J Dairy Sci*, **88**, 1785-800.
- Rogge, B., Itagaki, Y., Fishkin, N., Levi, E., Ruhl, R., Yi, S. S., Nakanishi, K. and Hammerling, U. (2005). Retinoylserine and retinoylalanine, natural products of the moth *Trichoplusia ni*. *J Nat Prod*, **68**, 1536-40.
- Ruhl, R. (2005). Induction of PXR-mediated metabolism by beta-carotene. *Biochim Biophys Acta*, **1740**, 162-9.

- Ruhl, R., Hamscher, G., Garcia, A. L., Nau, H. and Schweigert, F. J. (2005). Identification of 14-hydroxy-retinol and 4-hydroxy-retinol as endogenous retinoids in rats throughout neonatal development. *Life Sci*, **76**, 1613-22.
- Sarang, Z., Molnar, P., Nemeth, T., Gomba, S., Kardon, T., Melino, G., Cotecchia, S., Fesus, L. and Szondy, Z. (2005). Tissue transglutaminase (TG2) acting as G protein protects hepatocytes against Fas-mediated cell death in mice. *Hepatology*, **42**, 578-87.
- Sperka, T., Pitlik, J., Bagossi, P. and Tozser, J. (2005). Beta-lactam compounds as apparently uncompetitive inhibitors of HIV-1 protease. *Bioorg Med Chem Lett*, **15**, 3086-90.
- Szanto, A. and Nagy, L. (2005). Retinoids potentiate peroxisome proliferator-activated receptor gamma action in differentiation, gene expression, and lipid metabolic processes in developing myeloid cells. *Mol Pharmacol*, **67**, 1935-43.
- Tarkanyi, I., Dudogon, C., Hillion, J., Pendino, F., Lanotte, M., Aradi, J. and Segal-Bendirdjian, E. (2005a). Retinoid/arsenic combination therapy of promyelocytic leukemia: induction of telomerase-dependent cell death. *Leukemia*, **19**, 1806-11.
- Tarkanyi, I., Horvath, A., Szatmari, I., Eizert, H., Vamosi, G., Damjanovich, S., Segal-Bendirdjian, E. and Aradi, J. (2005b). Inhibition of human telomerase by oligonucleotide chimeras, composed of an antisense moiety and a chemically modified homo-oligonucleotide. *FEBS Lett*, **579**, 1411-6.
- Tie, Y., Boross, P. I., Wang, Y. F., Gaddis, L., Liu, F., Chen, X., Tozser, J., Harrison, R. W. and Weber, I. T. (2005). Molecular basis for substrate recognition and drug resistance from 1.1 to 1.6 angstroms resolution crystal structures of HIV-1 protease mutants with substrate analogs. *FEBS J*, **272**, 5265-77.
- Torocsik, D., Bardos, H., Nagy, L. and Adany, R. (2005). Identification of factor XIII-A as a marker of alternative macrophage activation. *Cell Mol Life Sci*, **62**, 2132-9.
- Tozser, J., Tropea, J. E., Cherry, S., Bagossi, P., Copeland, T. D., Wlodawer, A. and Waugh, D. S. (2005). Comparison of the substrate specificity of two potyvirus proteases. *FEBS J*, **272**, 514-23.
- Vana, M. L., Chen, A., Boross, P., Weber, I., Colman, D., Barklis, E. and Leis, J. (2005). Mutations affecting cleavage at the p10-capsid protease cleavage site block Rous sarcoma virus replication. *Retrovirology*, **2**, 58.

#### 2004

- Bagossi, P., Kadas, J., Miklossy, G., Boross, P., Weber, I. T. and Tozser, J. (2004). Development of a microtiter plate fluorescent assay for inhibition studies on the HTLV-1 and HIV-1 proteinases. *J Virol Methods*, **119**, 87-93.
- Bantscheff, M., Ringel, B., Madi, A., Schnabel, R., Glocker, M. O. and Thiesen, H. J. (2004). Differential proteome analysis and mass spectrometric characterization of germ line development-related proteins of *Caenorhabditis elegans*. *Proteomics*, **4**, 2283-95.
- Bene, L., Bodnar, A., Damjanovich, S., Vamosi, G., Bacso, Z., Aradi, J., Berta, A. and Damjanovich, J. (2004). Membrane topography of HLA I, HLA II, and ICAM-1 is affected by IFN-gamma in lipid rafts of uveal melanomas. *Biochem Biophys Res Commun*, **322**, 678-83.
- Blasko, B., Madi, A. and Fesus, L. (2004). Structural elements responsible for transglutaminase activity of protein disulphide isomerases and thioredoxins. *J Biol Regul Homeost Agents*, **18**, 1-8.
- Chadha, K. C., Dembinski, W. E., Dunn, C. B., Aradi, J., Bardos, T. J., Dunn, J. A. and Ambrus, J. L., Sr. (2004). Effect of increasing thiolation of the polycytidylic acid strand of poly I:poly C on the alpha, beta and gamma interferon-inducing properties, antiviral and antiproliferative activities. *Antiviral Res*, **64**, 171-7.
- Csutak, A., Silver, D. M., Tozser, J., Hassan, Z. and Berta, A. (2004). Urokinase-type plasminogen activator to prevent haze after photorefractive keratectomy, and pregnancy as a risk factor for haze in rabbits. *Invest Ophthalmol Vis Sci*, **45**, 1329-33.
- Davids, B. J., Mehta, K., Fesus, L., McCaffery, J. M. and Gillin, F. D. (2004). Dependence of *Giardia lamblia* encystation on novel transglutaminase activity. *Mol Biochem Parasitol*, **136**, 173-80.
- Feher, A., Boross, P., Sperka, T., Oroszlan, S. and Tozser, J. (2004). Expression of the murine leukemia virus protease in fusion with maltose-binding protein in *Escherichia coli*. *Protein Expr Purif*, **35**, 62-8.
- Kadas, J., Weber, I. T., Bagossi, P., Miklossy, G., Boross, P., Oroszlan, S. and Tozser, J. (2004). Narrow substrate specificity and sensitivity toward ligand-binding site mutations of human T-cell Leukemia virus type 1 protease. *J Biol Chem*, **279**, 27148-57.
- Korponay-Szabo, I. R., Haltunen, T., Szalai, Z., Laurila, K., Kiraly, R., Kovacs, J. B., Fesus, L. and Maki, M. (2004). In vivo targeting of intestinal and extraintestinal transglutaminase 2 by coeliac autoantibodies. *Gut*, **53**, 641-8.
- Madi, A., Hoffrogge, R., Blasko, B., Glocker, M. O. and Fesus, L. (2004). Amine donor protein substrates for transglutaminase activity in *Caenorhabditis elegans*. *Biochem Biophys Res Commun*, **315**, 1064-9.
- Mahalingam, B., Wang, Y. F., Boross, P. I., Tozser, J., Louis, J. M., Harrison, R. W. and Weber, I. T. (2004). Crystal structures of HIV protease V82A and L90M mutants reveal changes in the indinavir-binding site. *Eur J Biochem*, **271**, 1516-24.
- Menendez-Arias, L., Tozser, J. and Oroszlan, S. (2004a). Moloney murine leukemia virus retropepsin. Handbook of Proteolytic Enzymes. A. J. Barrett. London, Elsevier Science Ltd.
- Menendez-Arias, L., Tozser, J. and Oroszlan, S. (2004b). Mouse mammary tumor virus retropepsin. Handbook of Proteolytic Enzymes. A. J. Barrett. London, Elsevier Science Ltd.

- Nagy, L. and Schwabe, J. W. (2004). Mechanism of the nuclear receptor molecular switch. *Trends Biochem Sci*, **29**, 317-24.
- Nallamsetty, S., Kapust, R. B., Tozser, J., Cherry, S., Tropea, J. E., Copeland, T. D. and Waugh, D. S. (2004). Efficient site-specific processing of fusion proteins by tobacco vein mottling virus protease in vivo and in vitro. *Protein Expr Purif*, **38**, 108-15.
- Nemes, Z., Devreese, B., Steinert, P. M., Van Beeumen, J. and Fesus, L. (2004). Cross-linking of ubiquitin, HSP27, parkin, and alpha-synuclein by gamma-glutamyl-epsilon-lysine bonds in Alzheimer's neurofibrillary tangles. *FASEB J*, **18**, 1135-7.
- Roszer, T., Czimmerer, Z., Szentmiklosi, A. J. and Banfalvi, G. (2004a). Nitric oxide synthesis is blocked in the enteral nervous system during dormant periods of the snail *Helix lucorum*. *Cell Tissue Res*, **316**, 255-62.
- Roszer, T., Jenei, Z., Gall, T., Nagy, O., Czimmerer, Z., Serfozo, Z., Elekes, K. and Banfalvi, G. (2004b). A possible stimulatory effect of FMRFamide on neural nitric oxide production in the central nervous system of *Helix lucorum* L. *Brain Behav Evol*, **63**, 23-33.
- Ruhl, R., Garcia, A., Schweigert, F. J. and Worm, M. (2004a). Modulation of cytokine production by low and high retinoid diets in ovalbumin-sensitized mice. *Int J Vitam Nutr Res*, **74**, 279-84.
- Ruhl, R., Sczech, R., Landes, N., Pfluger, P., Kluth, D. and Schweigert, F. J. (2004b). Carotenoids and their metabolites are naturally occurring activators of gene expression via the pregnane X receptor. *Eur J Nutr*, **43**, 336-43.
- Szanto, A., Benko, S., Szatmari, I., Balint, B. L., Furtos, I., Ruhl, R., Molnar, S., Csiba, L., Garuti, R., Calandra, S., Larsson, H., Diczfalusy, U. and Nagy, L. (2004a). Transcriptional regulation of human CYP27 integrates retinoid, peroxisome proliferator-activated receptor, and liver X receptor signaling in macrophages. *Mol Cell Biol*, **24**, 8154-66.
- Szanto, A., Narkar, V., Shen, Q., Uray, I. P., Davies, P. J. and Nagy, L. (2004b). Retinoid X receptors: X-ploring their (patho)physiological functions. *Cell Death Differ*, **11 Suppl 2**, S126-43.
- Szatmari, I., Gogolak, P., Im, J. S., Dezso, B., Rajnavolgyi, E. and Nagy, L. (2004). Activation of PPARgamma specifies a dendritic cell subtype capable of enhanced induction of iNKT cell expansion. *Immunity*, **21**, 95-106.
- Tie, Y., Boross, P. I., Wang, Y. F., Gaddis, L., Hussain, A. K., Leshchenko, S., Ghosh, A. K., Louis, J. M., Harrison, R. W. and Weber, I. T. (2004). High resolution crystal structures of HIV-1 protease with a potent non-peptide inhibitor (UIC-94017) active against multi-drug-resistant clinical strains. *J Mol Biol*, **338**, 341-52.
- Toth, B., Ludanyi, K., Kiss, I., Reichert, U., Michel, S., Fesus, L. and Szondy, Z. (2004a). Retinoids induce Fas(CD95) ligand cell surface expression via RARgamma and nur77 in T cells. *Eur J Immunol*, **34**, 827-36.
- Toth, G., Schlammadinger, J., Aradi, J., Antal-Szalmas, P., Sipka, S., Balazs, M., Kovacs, P., Feher, Z. and Falus, A. (2004b). A DNA uptake-stimulating protein increases the antiproliferative effect of c-myc antisense oligonucleotide on leukemic cells. *Cell Biol Int*, **28**, 817-23.
- Tozser, J., Menendez-Arias, L. and Oroszlan, S. (2004a). Equine infectious anemia virus retropepsin. Handbook of Proteolytic Enzymes. A. J. Barrett. London, Elsevier Science Ltd.
- Tozser, J., Shulenin, S., Louis, J. M., Copeland, T. D. and Oroszlan, S. (2004b). In vitro processing of HIV-1 nucleocapsid protein by the viral proteinase: effects of amino acid substitutions at the scissile bond in the proximal zinc finger sequence. *Biochemistry*, **43**, 4304-12.
- Tumpek, J., Korponay-Szabó, I., Király, R., Csípő, I., Fésűs, L. and S., S. (2004). A coeliakiás ellenanyagok epitóspecifitásának jelentősége a transzglutamináz autoantitestek diagnosztikus kimutatásba. *Gyermekgyógyászat*, **4**, 453-459.

## 2003

- Ahuja, H. S., Szanto, A., Nagy, L. and Davies, P. J. (2003). The retinoid X receptor and its ligands: versatile regulators of metabolic function, cell differentiation and cell death. *J Biol Regul Homeost Agents*, **17**, 29-45.
- Benko, S., Love, J. D., Beladi, M., Schwabe, J. W. and Nagy, L. (2003). Molecular determinants of the balance between co-repressor and co-activator recruitment to the retinoic acid receptor. *J Biol Chem*, **278**, 43797-806.
- Blasko, B., Madi, A. and Fesus, L. (2003). Thioredoxin motif of *Caenorhabditis elegans* PDI-3 provides Cys and His catalytic residues for transglutaminase activity. *Biochem Biophys Res Commun*, **303**, 1142-7.
- Csutak, A., Silver, D. M., Tozser, J., Fackso, A. and Berta, A. (2003). Plasminogen activator activity and inhibition in rabbit tears after photorefractive keratectomy. *Exp Eye Res*, **77**, 675-80.
- Garcia, A. L., Ruhl, R., Herz, U., Koebnick, C., Schweigert, F. J. and Worm, M. (2003). Retinoid- and carotenoid-enriched diets influence the ontogenesis of the immune system in mice. *Immunology*, **110**, 180-7.
- Hansson, A., Bloor, B. K., Sarang, Z., Haig, Y., Morgan, P. R., Stark, H. J., Fusenig, N. E., Ekstrand, J. and Grafstrom, R. C. (2003). Analysis of proliferation, apoptosis and keratin expression in cultured normal and immortalized human buccal keratinocytes. *Eur J Oral Sci*, **111**, 34-41.
- Koh, Y., Nakata, H., Maeda, K., Ogata, H., Bilcer, G., Devasamudram, T., Kincaid, J. F., Boross, P., Wang, Y. F., Tie, Y., Volarath, P., Gaddis, L., Harrison, R. W., Weber, I. T., Ghosh, A. K. and Mitsuya, H. (2003). Novel bis-tetrahydrofuranylurethane-containing nonpeptidic protease inhibitor (PI) UIC-94017 (TMC114) with potent activity against multi-PI-resistant human immunodeficiency virus in vitro. *Antimicrob Agents Chemother*, **47**, 3123-9.



- Korponay-Szabo, I. R., Laurila, K., Szondy, Z., Halttunen, T., Szalai, Z., Dahlbom, I., Rantala, I., Kovacs, J. B., Fesus, L. and Maki, M. (2003). Missing endomysial and reticulin binding of coeliac antibodies in transglutaminase 2 knockout tissues. *Gut*, **52**, 199-204.
- Madi, A., Mikkat, S., Ringel, B., Thiesen, H. J. and Glocker, M. O. (2003a). Profiling stage-dependent changes of protein expression in *Caenorhabditis elegans* by mass spectrometric proteome analysis leads to the identification of stage-specific marker proteins. *Electrophoresis*, **24**, 1809-17.
- Madi, A., Mikkat, S., Ringel, B., Ulbrich, M., Thiesen, H. J. and Glocker, M. O. (2003b). Mass spectrometric proteome analysis for profiling temperature-dependent changes of protein expression in wild-type *Caenorhabditis elegans*. *Proteomics*, **3**, 1526-34.
- Madi, A., Pusztahelyi, T., Punyiczki, M. and Fesus, L. (2003c). The biology of the post-genomic era: the proteomics. *Acta Biol Hung*, **54**, 1-14.
- Ruhl, R., Dahten, A., Schweigert, F. J., Herz, U. and Worm, M. (2003). Inhibition of IgE-production by peroxisome proliferator-activated receptor ligands. *J Invest Dermatol*, **121**, 757-64.
- Ruhl, R. and Schweigert, F. J. (2003). Automated solid-phase extraction and liquid chromatographic method for retinoid determination in biological samples. *J Chromatogr B Analyt Technol Biomed Life Sci*, **798**, 309-16.
- Sarang, Z., Haig, Y., Hansson, A., Vondracek, M., Warngard, L. and Grafstrom, R. (2003). Microarray assessment of fibronectin, collagen and integrin expression and the role of fibronectin-collagen coating in the growth of normal, SV40 T-antigen-immortalised and malignant human oral keratinocytes. *Altern Lab Anim*, **31**, 575-85.
- Szegezdi, E., Kiss, I., Simon, A., Blasko, B., Reichert, U., Michel, S., Sandor, M., Fesus, L. and Szondy, Z. (2003). Ligation of retinoic acid receptor alpha regulates negative selection of thymocytes by inhibiting both DNA binding of nur77 and synthesis of bim. *J Immunol*, **170**, 3577-84.
- Szondy, Z., Sarang, Z., Molnar, P., Nemeth, T., Piacentini, M., Mastroberardino, P. G., Falasca, L., Aeschlimann, D., Kovacs, J., Kiss, I., Szegezdi, E., Lakos, G., Rajnavolgyi, E., Birckbichler, P. J., Melino, G. and Fesus, L. (2003). Transglutaminase 2-/- mice reveal a phagocytosis-associated crosstalk between macrophages and apoptotic cells. *Proc Natl Acad Sci U S A*, **100**, 7812-7.
- Tozser, J. (2003). Stages of HIV replication and targets for therapeutic intervention. *Curr Top Med Chem*, **3**, 1447-57.
- Tozser, J., Bagossi, P., Zahuczky, G., Specht, S. I., Majerova, E. and Copeland, T. D. (2003a). Effect of caspase cleavage-site phosphorylation on proteolysis. *Biochem J*, **372**, 137-43.
- Tozser, J. and Oroszlan, S. (2003). Proteolytic events of HIV-1 replication as targets for therapeutic intervention. *Curr Pharm Des*, **9**, 1803-15.
- Tozser, J., Shulenin, S., Kadas, J., Boross, P., Bagossi, P., Copeland, T. D., Nair, B. C., Sarngadharan, M. G. and Oroszlan, S. (2003b). Human immunodeficiency virus type 1 capsid protein is a substrate of the retroviral proteinase while integrase is resistant toward proteolysis. *Virology*, **310**, 16-23.
- Zeke, T., Kokai, E., Szoor, B., Yatzkan, E., Yarden, O., Szirak, K., Feher, Z., Bagossi, P., Gergely, P. and Dombradi, V. (2003). Expression of protein phosphatase 1 during the asexual development of *Neurospora crassa*. *Comp Biochem Physiol B Biochem Mol Biol*, **134**, 161-70.

## 2002

- Amendola, A., Fesus, L., Piacentini, M. and Szondy, Z. (2002). "Tissue" transglutaminase in AIDS. *J Immunol Methods*, **265**, 145-59.
- Bursch, W. and Fesus, L. (2002). 9th Euroconference on apoptosis. *Cell Death Differ*, **9**, 696-8.
- Csoz, E., Keresztessy, Z. and Fesus, L. (2002). Transglutaminase substrates: from test tube experiments to living cells and tissues. *Minerva Biotechnologica*, **14**, 149-153.
- Csutak, A., Tözsér, J., Hassan, Z., Silver, D. M. and Berta, A. (2002a). A plazminogén aktivátor aktivitás változásának jelentősége a könnyben fotorefraktív excimer lézerkezelés (PRK) után. *Szemészet*, **139**, 61-65.
- Csutak, A., Tözsér, J., Hassan, Z., Silver, D. M. and Berta, A. (2002b). Fotorefraktív excimer lézerkezelést (PRK) követő korneális stromahomályok. *Endoscopia és Minimálisan Invaszív Teápia*, **5**, 19-22.
- Dressler, D., Sarang, Z., Szondy, Z., Engelhart, K. and Grafstrom, R. C. (2002). Expression of retinoid-related genes in serum-free cultures of normal, immortalized and malignant human oral keratinocytes. *Int J Oncol*, **20**, 897-903.
- Feher, A., Weber, I. T., Bagossi, P., Boross, P., Mahalingam, B., Louis, J. M., Copeland, T. D., Torshin, I. Y., Harrison, R. W. and Tozser, J. (2002). Effect of sequence polymorphism and drug resistance on two HIV-1 Gag processing sites. *Eur J Biochem*, **269**, 4114-20.
- Fesus, L. and Piacentini, M. (2002). Transglutaminase 2: an enigmatic enzyme with diverse functions. *Trends Biochem Sci*, **27**, 534-9.
- Fésüs, L. and Fenyőfalvi, G. (2002). Az apoptózis mint terápiás célpont. *Apoptózis*. L. Kopper and L. Fésüs. Budapest, Medicina Könyvkiadó Rt. **18**: 415-428.
- Fésüs, L., Tóth, R. and Mádi, A. (2002). Az apoptóziskutatás története. *Apoptózis*. L. Kopper and L. Fésüs. Budapest, Medicina Könyvkiadó Rt. **1**: 15-32.
- Kapust, R. B., Tozser, J., Copeland, T. D. and Waugh, D. S. (2002). The P1' specificity of tobacco etch virus protease. *Biochem Biophys Res Commun*, **294**, 949-55.

- Love, J. D., Gooch, J. T., Benko, S., Li, C., Nagy, L., Chatterjee, V. K., Evans, R. M. and Schwabe, J. W. (2002). The structural basis for the specificity of retinoid-X receptor-selective agonists: new insights into the role of helix H12. *J Biol Chem*, **277**, 11385-91.
- Mahalingam, B., Boross, P., Wang, Y. F., Louis, J. M., Fischer, C. C., Tozser, J., Harrison, R. W. and Weber, I. T. (2002). Combining mutations in HIV-1 protease to understand mechanisms of resistance. *Proteins*, **48**, 107-16.
- Mastroberardino, P. G., Iannicola, C., Nardacci, R., Bernassola, F., De Laurenzi, V., Melino, G., Moreno, S., Pavone, F., Oliverio, S., Fesus, L. and Piacentini, M. (2002). 'Tissue' transglutaminase ablation reduces neuronal death and prolongs survival in a mouse model of Huntington's disease. *Cell Death Differ*, **9**, 873-80.
- Nagy, Z. S., Wang, Y., Erwin-Cohen, R. A., Aradi, J., Monia, B., Wang, L. H., Stepkowski, S. M., Rui, H. and Kirken, R. A. (2002). Interleukin-2 family cytokines stimulate phosphorylation of the Pro-Ser-Pro motif of Stat5 transcription factors in human T cells: resistance to suppression of multiple serine kinase pathways. *J Leukoc Biol*, **72**, 819-28.
- Nemes, Z., Sarvari, M., Steinert, P. M., Fesus, L., VanBeeumen, J. and Devreese, B. (2002). Isopeptide cross-links in Alzheimer's neurofibrillary tangles. *European Neuropsychopharmacology*, **12**, S369-S369.
- Sarvari, M., Fesus, L. and Nemes, Z. (2002a). Transglutaminase-mediated crosslinking of neural proteins in Alzheimer's disease and other primary dementias. *Drug Development Research*, **56**, 458-472.
- Sarvari, M., Karpati, L., Fesus, L., Deli, L., Muszbek, L. and Nemes, Z. (2002b). Competitive enzyme-linked immunosorbent assay for N epsilon gamma-glutamyl lysine. *Anal Biochem*, **311**, 187-90.
- Serfozo, Z., Vereb, Z., Roszer, T., Kemenes, G. and Elekes, K. (2002). Development of the nitric oxide/cGMP system in the embryonic and juvenile pond snail, *Lymnaea stagnalis* L. A comparative in situ hybridization, histochemical and immunohistochemical study. *J Neurocytol*, **31**, 131-47.
- Szántó, A. and Nagy, L. (2002). Lipid sensors in atherosclerosis, the role of nuclear hormone receptors in disease progression. *B.I.F. Futura*, **17**, 129-136.
- Szondy, Z. (2002a). Az apoptózis természetes gátlói. *Apoptózis*. L. Kopper and L. Fésüs. Budapest, Medicina Könyvkiadó Rt. **7**: 159-177.
- Szondy, Z. (2002b). A T-sejtek és az apoptózis. *Apoptózis*. L. Kopper and L. Fésüs. Budapest, Medicina Könyvkiadó Rt. **10**: 239-263.
- Vondracek, M., Weaver, D. A., Sarang, Z., Hedberg, J. J., Willey, J. C., Warngard, L. and Grafstrom, R. C. (2002). Transcript profiling of enzymes involved in detoxification of xenobiotics and reactive oxygen in human normal and simian virus 40 T antigen-immortalized oral keratinocytes. *Int J Cancer*, **99**, 776-82.

## 2001

- Ambrus, A., Banyai, I., Weiss, M. S., Hilgenfeld, R., Keresztessy, Z., Muszbek, L. and Fesus, L. (2001a). Calcium binding of transglutaminases: a <sup>43</sup>Ca NMR study combined with surface polarity analysis. *J Biomol Struct Dyn*, **19**, 59-74.
- Ambrus, A., Batta, G., Kövér, E. K., Groves, P., Palczewska, M. and Kuznicki, J. (2001b). A calretinin (kalciumkötő fehérje) NMR vizsgálata. Az első két domén. *Biokémia*, **25**.
- Ambrus, A. and Fesus, L. (2001). Polyethylene glycol enhanced refolding of the recombinant human tissue transglutaminase. *Prep Biochem Biotechnol*, **31**, 59-70.
- Benoit, G. R., Flexor, M., Besancon, F., Altucci, L., Rossin, A., Hillion, J., Balajthy, Z., Legres, L., Segal-Bendirdjian, E., Gronemeyer, H. and Lanotte, M. (2001a). Autonomous retinoid death signaling is suppressed by converging signaling pathways in immature leukemia cells. *Mol Endocrinol*, **15**, 1154-69.
- Benoit, G. R., Tong, J. H., Balajthy, Z. and Lanotte, M. (2001b). Exploring (novel) gene expression during retinoid-induced maturation and cell death of acute promyelocytic leukemia. *Semin Hematol*, **38**, 71-85.
- Chawla, A., Barak, Y., Nagy, L., Liao, D., Tontonoz, P. and Evans, R. M. (2001a). PPAR-gamma dependent and independent effects on macrophage-gene expression in lipid metabolism and inflammation. *Nat Med*, **7**, 48-52.
- Chawla, A., Boisvert, W. A., Lee, C. H., Laffitte, B. A., Barak, Y., Joseph, S. B., Liao, D., Nagy, L., Edwards, P. A., Curtiss, L. K., Evans, R. M. and Tontonoz, P. (2001b). A PPAR gamma-LXR-ABCA1 pathway in macrophages is involved in cholesterol efflux and atherogenesis. *Mol Cell*, **7**, 161-71.
- Gaspar, R., Jr., Bagossi, P., Bene, L., Matko, J., Szollosi, J., Tozser, J., Fesus, L., Waldmann, T. A. and Damjanovich, S. (2001). Clustering of class I HLA oligomers with CD8 and TCR: three-dimensional models based on fluorescence resonance energy transfer and crystallographic data. *J Immunol*, **166**, 5078-86.
- Hedberg, J. J., Grafstrom, R. C., Vondracek, M., Sarang, Z., Warngard, L. and Hoog, J. O. (2001). Micro-array chip analysis of carbonyl-metabolising enzymes in normal, immortalised and malignant human oral keratinocytes. *Cell Mol Life Sci*, **58**, 1719-26.
- Ishima, R., Ghirlando, R., Tozser, J., Gronenborn, A. M., Torchia, D. A. and Louis, J. M. (2001). Folded monomer of HIV-1 protease. *J Biol Chem*, **276**, 49110-6.
- Kapust, R. B., Tozser, J., Fox, J. D., Anderson, D. E., Cherry, S., Copeland, T. D. and Waugh, D. S. (2001). Tobacco etch virus protease: mechanism of autolysis and rational design of stable mutants with wild-type catalytic proficiency. *Protein Eng*, **14**, 993-1000.

- Madi, A., Kele, Z., Janaky, T., Puniczki, M. and Fesus, L. (2001). Identification of protein substrates for transglutaminase in *Caenorhabditis elegans*. *Biochem Biophys Res Commun*, **283**, 964-8.
- Nemes, Z., Fesus, L., Egerhazi, A., Keszthelyi, A. and Degrell, I. M. (2001a). N(epsilon)(gamma-glutamyl)lysine in cerebrospinal fluid marks Alzheimer type and vascular dementia. *Neurobiol Aging*, **22**, 403-6.
- Nemes, Z., Madi, A., Marekov, L. N., Piacentini, M., Steinert, P. M. and Fesus, L. (2001b). Analysis of protein transglutamylation in apoptosis. *Methods Cell Biol*, **66**, 111-33.
- Singh Ahuja, H., Liu, S., Crombie, D. L., Boehm, M., Leibowitz, M. D., Heyman, R. A., Depre, C., Nagy, L., Tontonoz, P. and Davies, P. J. (2001). Differential effects of rexinoids and thiazolidinediones on metabolic gene expression in diabetic rodents. *Mol Pharmacol*, **59**, 765-73.
- Szatmari, I. and Aradi, J. (2001). Telomeric repeat amplification, without shortening or lengthening of the telomerase products: a method to analyze the processivity of telomerase enzyme. *Nucleic Acids Res*, **29**, E3.
- Szondy, Z., Toth, R., Szegezdi, E., Reichert, U., Ancian, P. and Fesus, L. (2001). Cell death in HIV pathogenesis and its modulation by retinoids. *Ann N Y Acad Sci*, **946**, 95-107.
- Toth, R., Szegezdi, E., Reichert, U., Bernardon, J. M., Michel, S., Ancian, P., Kis-Toth, K., Macsari, Z., Fesus, L. and Szondy, Z. (2001). Activation-induced apoptosis and cell surface expression of Fas (CD95) ligand are reciprocally regulated by retinoic acid receptor alpha and gamma and involve nur77 in T cells. *Eur J Immunol*, **31**, 1382-91.
- Tozser, J. (2001). HIV inhibitors: problems and reality. *Ann N Y Acad Sci*, **946**, 145-59.
- Uray, I. P., Davies, P. J. and Fesus, L. (2001). Pharmacological separation of the expression of tissue transglutaminase and apoptosis after chemotherapeutic treatment of HepG2 cells. *Mol Pharmacol*, **59**, 1388-94.

## 2000

- Csutak, A., Tozser, J., Bekesi, L., Hassan, Z., Berta, A. and Silver, D. M. (2000). Plasminogen activator activity in tears after excimer laser photorefractive keratectomy. *Invest Ophthalmol Vis Sci*, **41**, 3743-7.
- Lee, H., Shi, W., Tontonoz, P., Wang, S., Subbanagounder, G., Hedrick, C. C., Hama, S., Borromeo, C., Evans, R. M., Berliner, J. A. and Nagy, L. (2000). Role for peroxisome proliferator-activated receptor alpha in oxidized phospholipid-induced synthesis of monocyte chemoattractant protein-1 and interleukin-8 by endothelial cells. *Circ Res*, **87**, 516-21.
- Louis, J. M., Weber, I. T., Tozser, J., Clore, G. M. and Gronenborn, A. M. (2000). HIV-1 protease: maturation, enzyme specificity, and drug resistance. *Adv Pharmacol*, **49**, 111-46.
- Love, J. D., Gooch, J. T., Nagy, L., Chatterjee, V. K. and Schwabe, J. W. (2000). Transcriptional repression by nuclear receptors: mechanisms and role in disease. *Biochem Soc Trans*, **28**, 390-6.
- Nemes, Z., Demeny, M., Marekov, L. N., Fesus, L. and Steinert, P. M. (2000). Cholesterol 3-sulfate interferes with cornified envelope assembly by diverting transglutaminase 1 activity from the formation of cross-links and esters to the hydrolysis of glutamine. *J Biol Chem*, **275**, 2636-46.
- Szatmari, I., Tokes, S., Dunn, C. B., Bardos, T. J. and Aradi, J. (2000). Modified telomeric repeat amplification protocol: a quantitative radioactive assay for telomerase without using electrophoresis. *Anal Biochem*, **282**, 80-8.
- Szegezdi, E., Szondy, Z., Nagy, L., Nemes, Z., Friis, R. R., Davies, P. J. and Fesus, L. (2000). Apoptosis-linked in vivo regulation of the tissue transglutaminase gene promoter. *Cell Death Differ*, **7**, 1225-33.
- Tozser, J., Zahuczky, G., Bagossi, P., Louis, J. M., Copeland, T. D., Oroszlan, S., Harrison, R. W. and Weber, I. T. (2000). Comparison of the substrate specificity of the human T-cell leukemia virus and human immunodeficiency virus proteinases. *Eur J Biochem*, **267**, 6287-95.
- Zahuczky, G., Boross, P., Bagossi, P., Emri, G., Copeland, T. D., Oroszlan, S., Louis, J. M. and Tozser, J. (2000). Cloning of the bovine leukemia virus proteinase in *Escherichia coli* and comparison of its specificity to that of human T-cell leukemia virus proteinase. *Biochim Biophys Acta*, **1478**, 1-8.

## 1999

- Bagossi, P., Zahuczky, G., Tözsér, J., Weber, I. T. and Harrison, R. W. (1999). Improved parameters for generating partial charges: correlation with observed dipole moments. *J Mol Model*, **5**, 143-152.
- Boross, P., Bagossi, P., Copeland, T. D., Oroszlan, S., Louis, J. M. and Tozser, J. (1999). Effect of substrate residues on the P2' preference of retroviral proteinases. *Eur J Biochem*, **264**, 921-9.
- Briggs, C. J., Ott, D. E., Coren, L. V., Oroszlan, S. and Tozser, J. (1999). Comparison of the effect of FK506 and cyclosporin A on virus production in H9 cells chronically and newly infected by HIV-1. *Arch Virol*, **144**, 2151-60.
- Dupe, V., Ghyselinck, N. B., Thomazy, V., Nagy, L., Davies, P. J., Chambon, P. and Mark, M. (1999). Essential roles of retinoic acid signaling in interdigital apoptosis and control of BMP-7 expression in mouse autopods. *Dev Biol*, **208**, 30-43.

- Fenyofalvi, G., Bagossi, P., Copeland, T. D., Oroszlan, S., Boross, P. and Tozser, J. (1999). Expression and characterization of human foamy virus proteinase. *FEBS Lett*, **462**, 397-401.
- Fesus, L. (1999). Inducible gene expression in apoptosis. *Cell Death Differ*, **6**, 1144-5.
- Louis, J. M., Oroszlan, S. and Tozser, J. (1999). Stabilization from autoproteolysis and kinetic characterization of the human T-cell leukemia virus type 1 proteinase. *J Biol Chem*, **274**, 6660-6.
- Mic, F. A., Molnar, P., Kresztes, T., Szegezdi, E. and Fesus, L. (1999). Clearance of apoptotic thymocytes is decreased by inhibitors of eicosanoid synthesis. *Cell Death Differ*, **6**, 593-5.
- Nagy, L. (1999). Molecular mechanisms of nuclear hormone receptor action in health and disease. *B.I.F. Futura*, **14**, 257-265.
- Nagy, L., Kao, H. Y., Love, J. D., Li, C., Banayo, E., Gooch, J. T., Krishna, V., Chatterjee, K., Evans, R. M. and Schwabe, J. W. (1999a). Mechanism of corepressor binding and release from nuclear hormone receptors. *Genes Dev*, **13**, 3209-16.
- Nagy, L., Lee, H., Wang, S., Tontonoz, P., Jackson, S., Hama, S., Evans, R. and Berliner, J. A. (1999b). A role for PPAR in the action of phosphatidylcholine oxidation products. *Faseb Journal*, **13**, A47-A47.
- Nemes, Z., Marekov, L. N., Fesus, L. and Steinert, P. M. (1999). A novel function for transglutaminase 1: attachment of long-chain omega-hydroxyceramides to involucrin by ester bond formation. *Proc Natl Acad Sci U S A*, **96**, 8402-7.
- Skuta, G., Fischer, G. M., Janaky, T., Kele, Z., Szabo, P., Tozser, J. and Sumegi, B. (1999). Molecular mechanism of the short-term cardiotoxicity caused by 2',3'-dideoxycytidine (ddC): modulation of reactive oxygen species levels and ADP-ribosylation reactions. *Biochem Pharmacol*, **58**, 1915-25.
- Tontonoz, P. and Nagy, L. (1999). Regulation of macrophage gene expression by peroxisome-proliferator-activated receptor gamma: implications for cardiovascular disease. *Curr Opin Lipidol*, **10**, 485-90.
- Toth, R., Szegezdi, E., Molnar, G., Lord, J. M., Fesus, L. and Szondy, Z. (1999). Regulation of cell surface expression of Fas (CD95) ligand and susceptibility to Fas (CD95)-mediated apoptosis in activation-induced T cell death involves calcineurin and protein kinase C, respectively. *Eur J Immunol*, **29**, 383-93.
- Tozser, J., Bagossi, P., Boross, P., Louis, J. M., Majerova, E., Oroszlan, S. and Copeland, T. D. (1999). Effect of serine and tyrosine phosphorylation on retroviral proteinase substrates. *Eur J Biochem*, **265**, 423-9.
- Zeher, M., Szodoray, P., Gyimesi, E. and Szondy, Z. (1999). Correlation of increased susceptibility to apoptosis of CD4+ T cells with lymphocyte activation and activity of disease in patients with primary Sjogren's syndrome. *Arthritis Rheum*, **42**, 1673-81.

## 1998

- Bagossi, P., Cheng, Y. S., Oroszlan, S. and Tozser, J. (1998). Comparison of the specificity of homo- and heterodimeric linked HIV-1 and HIV-2 proteinase dimers. *Protein Eng*, **11**, 439-45.
- Fesus, L. (1998). Transglutaminase-catalyzed protein cross-linking in the molecular program of apoptosis and its relationship to neuronal processes. *Cell Mol Neurobiol*, **18**, 683-94.
- Kuncio, G. S., Tsyganskaya, M., Zhu, J., Liu, S. L., Nagy, L., Thomazy, V., Davies, P. J. and Zern, M. A. (1998). TNF-alpha modulates expression of the tissue transglutaminase gene in liver cells. *Am J Physiol*, **274**, G240-5.
- Lin, R. J., Nagy, L., Inoue, S., Shao, W., Miller, W. H., Jr. and Evans, R. M. (1998). Role of the histone deacetylase complex in acute promyelocytic leukaemia. *Nature*, **391**, 811-4.
- Madi, A., Punyiczki, M., di Rao, M., Piacentini, M. and Fesus, L. (1998). Biochemical characterization and localization of transglutaminase in wild-type and cell-death mutants of the nematode *Caenorhabditis elegans*. *Eur J Biochem*, **253**, 583-90.
- Menendez-Arias, L., Tozser, J. and Oroszlan, S. (1998a). Mouse mammary tumor virus retropepsin. *Handbook of Proteolytic Enzymes*. A. J. Barrett. New York, Academic Press: 944-946.
- Menendez-Arias, L., Tozser, J. and Oroszlan, S. (1998b). Moloney murine leukemia virus retropepsin. *Handbook of Proteolytic Enzymes*. A. J. Barrett. New York, Academic Press: 946-949.
- Nagy, L., Thomazy, V. A. and Davies, P. J. (1998a). A transgenic mouse model for the study of apoptosis during limb development. *Cell Death Differ*, **5**, 126.
- Nagy, L., Thomazy, V. A., Heyman, R. A. and Davies, P. J. (1998b). Retinoid-induced apoptosis in normal and neoplastic tissues. *Cell Death Differ*, **5**, 11-9.
- Nagy, L., Tontonoz, P., Alvarez, J. G., Chen, H. and Evans, R. M. (1998c). Oxidized LDL regulates macrophage gene expression through ligand activation of PPARgamma. *Cell*, **93**, 229-40.
- Punyiczki, M. and Fesus, L. (1998). Heat shock and apoptosis. The two defense systems of the organism may have overlapping molecular elements. *Ann N Y Acad Sci*, **851**, 67-74.
- Szondy, Z., Lecoecour, H., Fesus, L. and Gougeon, M. L. (1998a). All-trans retinoic acid inhibition of anti-CD3-induced T cell apoptosis in human immunodeficiency virus infection mostly concerns CD4 T lymphocytes and is mediated via regulation of CD95 ligand expression. *J Infect Dis*, **178**, 1288-98.
- Szondy, Z., Reichert, U., Bernardon, J. M., Michel, S., Toth, R., Karaszi, E. and Fesus, L. (1998b). Inhibition of activation-induced apoptosis of thymocytes by all-trans- and 9-cis-retinoic acid is mediated via retinoic acid receptor alpha. *Biochem J*, **331** ( Pt 3), 767-74.

- Szondy, Z., Reichert, U. and Fesus, L. (1998c). Retinoic acids regulate apoptosis of T lymphocytes through an interplay between RAR and RXR receptors. *Cell Death Differ*, **5**, 4-10.
- Takacs, L., Boross, P., Tozser, J., Modis, L., Jr., Toth, G. and Berta, A. (1998). Transforming growth factor-beta induced protein, betaIG-H3, is present in degraded form and altered localization in lattice corneal dystrophy type I. *Exp Eye Res*, **66**, 739-45.
- Tontonoz, P., Nagy, L., Alvarez, J. G., Thomazy, V. A. and Evans, R. M. (1998). PPARgamma promotes monocyte/macrophage differentiation and uptake of oxidized LDL. *Cell*, **93**, 241-52.
- Tozser, J. and Berta, A. (1998). Lactate dehydrogenase activity in pathological human tears obtained with glass capillaries correlates with the albumin content. *Int Ophthalmol*, **22**, 289-92.
- Tozser, J., Menendez-Arias, L. and Oroszlan, S. (1998). Equine infectious anemia virus retropepsin. Handbook of Proteolytic Enzymes. A. J. Barrett. New York, Academic Press: 932-935.
- Vissi, E., Toth, E. C., Kovacs, I., Magyar, Z., Horvath, G. V., Bagossi, P., Gergely, P., Dudits, D. and Dombradi, V. (1998). Protein phosphatase 1 catalytic subunit isoforms from alfalfa: biochemical characterization and cDNA cloning. *Arch Biochem Biophys*, **360**, 206-14.

## 1997

- Balajthy, Z., Kedei, N., Nagy, L., Davies, P. J. and Fesus, L. (1997). Lack of induction of tissue transglutaminase but activation of the preexisting enzyme in c-Myc-induced apoptosis of CHO cells. *Biochem Biophys Res Commun*, **236**, 280-4.
- Chen, H., Lin, R. J., Schiltz, R. L., Chakravarti, D., Nash, A., Nagy, L., Privalsky, M. L., Nakatani, Y. and Evans, R. M. (1997). Nuclear receptor coactivator ACTR is a novel histone acetyltransferase and forms a multimeric activation complex with P/CAF and CBP/p300. *Cell*, **90**, 569-80.
- Madi, A., Punyiczki, M. and Fesus, L. (1997). Lessons to learn from the cell death and heat shock genes of *Caenorhabditis elegans*. *Acta Biol Hung*, **48**, 303-18.
- Nagy, L., Kao, H. Y., Chakravarti, D., Lin, R. J., Hassig, C. A., Ayer, D. E., Schreiber, S. L. and Evans, R. M. (1997a). Nuclear receptor repression mediated by a complex containing SMRT, mSin3A, and histone deacetylase. *Cell*, **89**, 373-80.
- Nagy, L., Thomazy, V. A., Saydak, M. M., Stein, J. P. and Davies, P. J. (1997b). The promoter of the mouse tissue transglutaminase gene directs tissue-specific, retinoid-regulated and apoptosis-linked expression. *Cell Death Differ*, **4**, 534-47.
- Nemes, Z., Jr., Adany, R., Balazs, M., Boross, P. and Fesus, L. (1997). Identification of cytoplasmic actin as an abundant glutaminyl substrate for tissue transglutaminase in HL-60 and U937 cells undergoing apoptosis. *J Biol Chem*, **272**, 20577-83.
- Oliverio, S., Amendola, A., Di Sano, F., Farrace, M. G., Fesus, L., Nemes, Z., Piredda, L., Spinedi, A. and Piacentini, M. (1997). Tissue transglutaminase-dependent posttranslational modification of the retinoblastoma gene product in promonocytic cells undergoing apoptosis. *Mol Cell Biol*, **17**, 6040-8.
- Piredda, L., Amendola, A., Colizzi, V., Davies, P. J., Farrace, M. G., Fraziano, M., Gentile, V., Uray, I., Piacentini, M. and Fesus, L. (1997). Lack of 'tissue' transglutaminase protein cross-linking leads to leakage of macromolecules from dying cells: relationship to development of autoimmunity in MRLlpr/lpr mice. *Cell Death Differ*, **4**, 463-72.
- Schittny, J. C., Paulsson, M., Vallan, C., Burri, P. H., Kedei, N. and Aeschlimann, D. (1997). Protein cross-linking mediated by tissue transglutaminase correlates with the maturation of extracellular matrices during lung development. *Am J Respir Cell Mol Biol*, **17**, 334-43.
- Szondy, Z. (1997). Methylprednisolone and 2-chloroadenosine induce DNA fragmentation at different stages of human T-lymphocyte development. *Immunol Lett*, **58**, 59-65.
- Szondy, Z., Molnar, P., Nemes, Z., Boyiadzis, M., Kedei, N., Toth, R. and Fesus, L. (1997a). Differential expression of tissue transglutaminase during in vivo apoptosis of thymocytes induced via distinct signalling pathways. *FEBS Lett*, **404**, 307-13.
- Szondy, Z., Reichert, U., Bernardon, J. M., Michel, S., Toth, R., Ancian, P., Ajzner, E. and Fesus, L. (1997b). Induction of apoptosis by retinoids and retinoic acid receptor gamma-selective compounds in mouse thymocytes through a novel apoptosis pathway. *Mol Pharmacol*, **51**, 972-82.
- Tozser, J. (1997). Specificity of Retroviral Proteinases Based on Substrates Containing Tyrosine and Proline at the Site of Cleavage. *Pathol Oncol Res*, **3**, 142-146.
- Tozser, J., Bagossi, P., Weber, I. T., Louis, J. M., Copeland, T. D. and Oroszlan, S. (1997a). Studies on the symmetry and sequence context dependence of the HIV-1 proteinase specificity. *J Biol Chem*, **272**, 16807-14.
- Tozser, J., Yin, F. H., Cheng, Y. S., Bagossi, P., Weber, I. T., Harrison, R. W. and Oroszlan, S. (1997b). Activity of tethered human immunodeficiency virus 1 protease containing mutations in the flap region of one subunit. *Eur J Biochem*, **244**, 235-41.
- Zeher, M., Gyimesi, E., Szodoray, P. and Szondy, Z. (1997). Expression of apoptosis-related Fas antigen and in vitro apoptosis of lymphocyte subsets from patients with primary Sjogren's syndrome: comment on the article by Lorenz et al. *Arthritis Rheum*, **40**, 1912.

## 1996

- Amendola, A., Gougeon, M. L., Poccia, F., Bondurand, A., Fesus, L. and Piacentini, M. (1996). Induction of "tissue" transglutaminase in HIV pathogenesis: evidence for high rate of apoptosis of CD4+ T lymphocytes and accessory cells in lymphoid tissues. *Proc Natl Acad Sci U S A*, **93**, 11057-62.
- Bagossi, P., Cheng, Y. S., Oroszlan, S. and Tozser, J. (1996). Activity of linked HIV-1 proteinase dimers containing mutations in the active site region. *Protein Eng*, **9**, 997-1003.
- Bogati, M. S., Pocsi, I., Maticsek, J., Boross, P., Tozser, J. and Szentirmai, A. (1996). NADP-specific glutamate dehydrogenase of *Penicillium chrysogenum* has a homohexamer structure. *J Basic Microbiol*, **36**, 371-5.
- Briggs, C. J., Tozser, J. and Oroszlan, S. (1996). Effect of cyclosporin A on the replication cycle of human immunodeficiency virus type 1 derived from H9 and Molt-4 producer cells. *J Gen Virol*, **77** (Pt 12), 2963-7.
- Fesus, L., Madi, A., Balajthy, Z., Nemes, Z. and Szondy, Z. (1996a). Transglutaminase induction by various cell death and apoptosis pathways. *Experientia*, **52**, 942-9.
- Fesus, L., Nemes, Z., Piredda, L., Madi, A., Rao, D. M. and Piacentini, M. (1996b). Measurement of the induction, activity and products of tissue transglutaminase in cells undergoing apoptosis. *Techniques in Apoptosis - A User's Guide*, T. G. Cotter and S. J. Martin. London, Portland Press Ltd.: 21-49.
- Nagy, L., Saydak, M., Shipley, N., Lu, S., Basilion, J. P., Yan, Z. H., Syka, P., Chandraratna, R. A., Stein, J. P., Heyman, R. A. and Davies, P. J. (1996a). Identification and characterization of a versatile retinoid response element (retinoic acid receptor response element-retinoid X receptor response element) in the mouse tissue transglutaminase gene promoter. *J Biol Chem*, **271**, 4355-65.
- Nagy, L., Thomazy, V. A., Chandraratna, R. A., Heyman, R. A. and Davies, P. J. (1996b). Retinoid-regulated expression of BCL-2 and tissue transglutaminase during the differentiation and apoptosis of human myeloid leukemia (HL-60) cells. *Leuk Res*, **20**, 499-505.
- Nemes, Z., Jr., Friis, R. R., Aeschlimann, D., Saurer, S., Paulsson, M. and Fesus, L. (1996). Expression and activation of tissue transglutaminase in apoptotic cells of involuting rodent mammary tissue. *Eur J Cell Biol*, **70**, 125-33.
- Nogrady, N., Pocsi, I., Katona, E., Jeney, V., Boross, P., Tozser, J., Facht, J. and Szentirmai, A. (1996). Soluble cell-bound and extracellular cyclodextrin glycosyltransferases of *Bacillus macerans* show identical enzymological characteristics and antigenicity. *Journal of Basic Microbiology*, **36**, 335-340.
- Pitlik, J., Bagossi, P., Jeko, J. and Tozser, J. (1996). Synthesis of cephalosporin oligopeptides as potential proteinase inhibitors. *Pharmazie*, **51**, 700-704.
- Szondy, Z., Reichert, U., Bernardon, J. M., Michel, S., Tóth, R., Lecoeur, H., Gougeon, M. and Fésüs, L. (1996). Retinoic acids differentially modulate various forms of T cell death. *Cell Biol. Int.*, **20**, 231-232.
- Tokes, S. and Aradi, J. (1996). (s4dU)35: a novel, highly potent oligonucleotide inhibitor of the human immunodeficiency virus type 1 reverse transcriptase. *FEBS Lett*, **396**, 43-6.
- Tozser, J., Bagossi, P., Weber, I. T., Copeland, T. D. and Oroszlan, S. (1996). Comparative studies on the substrate specificity of avian myeloblastosis virus proteinase and lentiviral proteinases. *J Biol Chem*, **271**, 6781-8.
- Yan, Z. H., Noonan, S., Nagy, L., Davies, P. J. and Stein, J. P. (1996). Retinoic acid induction of the tissue transglutaminase promoter is mediated by a novel response element. *Mol Cell Endocrinol*, **120**, 203-12.

## 1995

- Fesus, L., Szondy, Z. and Uray, I. (1995). Probing the molecular program of apoptosis by cancer chemopreventive agents. *J Cell Biochem Suppl*, **22**, 151-61.
- Nagy, L., Thomazy, V. A., Shipley, G. L., Fesus, L., Lamph, W., Heyman, R. A., Chandraratna, R. A. and Davies, P. J. (1995). Activation of retinoid X receptors induces apoptosis in HL-60 cell lines. *Mol Cell Biol*, **15**, 3540-51.
- Szondy, Z. (1995a). The 2-chlorodeoxyadenosine-induced cell death signalling pathway in human thymocytes is different from that induced by 2-chloroadenosine. *Biochem J*, **311** (Pt 2), 585-8.
- Szondy, Z. (1995b). The effects of cell number, concentrations of mitogen and glutamine and time of culture on [3H]thymidine incorporation into cervical lymph node lymphocytes stimulated by concanavalin-A. *Immunol Lett*, **45**, 167-71.
- Tokes, S. and Aradi, J. (1995). Inhibition of Moloney murine leukemia virus reverse transcriptase by partially 5-thiolated polyuridylic acid. *Biochim Biophys Acta*, **1261**, 115-20.

## 1994

- Szondy, Z. (1994). Adenosine stimulates DNA fragmentation in human thymocytes by Ca(2+)-mediated mechanisms. *Biochem J*, **304** (Pt 3), 877-85.

## 1993

- Fesus, L. (1993). Biochemical events in naturally occurring forms of cell death. *FEBS Lett*, **328**, 1-5.
- Piacentini, M., Fesus, L. and Melino, G. (1993). Multiple cell cycle access to the apoptotic death programme in human neuroblastoma cells. *FEBS Lett*, **320**, 150-4.
- Tozser, J., Friedman, D., Weber, I. T., Blaha, I. and Oroszlan, S. (1993). Studies on the substrate specificity of the proteinase of equine infectious anemia virus using oligopeptide substrates. *Biochemistry*, **32**, 3347-53.
- Weber, I. T., Tozser, J., Wu, J., Friedman, D. and Oroszlan, S. (1993). Molecular model of equine infectious anemia virus proteinase and kinetic measurements for peptide substrates with single amino acid substitutions. *Biochemistry*, **32**, 3354-62.

## 1992

- Balajthy, Z., Aradi, J., Kiss, I. T. and Elodi, P. (1992). Synthesis and functional evaluation of a peptide derivative of 1-beta-D-arabinofuranosylcytosine. *J Med Chem*, **35**, 3344-9.
- Blaha, I., Tozser, J., Kim, Y., Copeland, T. D. and Oroszlan, S. (1992). Solid phase synthesis of the proteinase of bovine leukemia virus. Comparison of its specificity to that of HIV-2 proteinase. *FEBS Lett*, **309**, 389-93.
- Fesus, L. (1992). Apoptosis. *Immunol Today*, **13**, A16-7.
- Gentile, V., Thomazy, V., Piacentini, M., Fesus, L. and Davies, P. J. (1992). Expression of tissue transglutaminase in Balb-C 3T3 fibroblasts: effects on cellular morphology and adhesion. *J Cell Biol*, **119**, 463-74.
- Harsfalvi, J., Tarcsa, E., Udvardy, M., Zajka, G., Szarvas, T. and Fesus, L. (1992). Presence and possible origin of epsilon(gamma-glutamyl)lysine isodipeptide in human plasma. *Thromb Haemost*, **67**, 60-2.
- Piacentini, M., Ceru, M. P., Dini, L., Di Rao, M., Piredda, L., Thomazy, V., Davies, P. J. and Fesus, L. (1992). In vivo and in vitro induction of 'tissue' transglutaminase in rat hepatocytes by retinoic acid. *Biochim Biophys Acta*, **1135**, 171-9.
- Tarcsa, E., Eckerstorfer, M., Breitenbach, M., Hintz, M., Schott, H. H., Zahner, H. and Stirm, S. (1992). Epsilon-(gamma-glutamyl)lysine cross-links in *Litomosoides carinii* microfilarial sheaths. *Parasitol Res*, **78**, 623-4.
- Taresa, E., Kedei, N., Thomazy, V. and Fesus, L. (1992). An involucrin-like protein in hepatocytes serves as a substrate for tissue transglutaminase during apoptosis. *J Biol Chem*, **267**, 25648-51.
- Tozser, J., Weber, I. T., Gustchina, A., Blaha, I., Copeland, T. D., Louis, J. M. and Oroszlan, S. (1992). Kinetic and modeling studies of S3-S3' subsites of HIV proteinases. *Biochemistry*, **31**, 4793-800.

## 1991

- Blaha, I., Nemeč, J., Tozser, J. and Oroszlan, S. (1991). Synthesis of homologous peptides using fragment condensation: analogs of an HIV proteinase substrate. *Int J Pept Protein Res*, **38**, 453-8.
- Fesus, L. (1991). Apoptosis fashions T and B cell repertoire. *Immunol Lett*, **30**, 277-82.
- Fesus, L., Davies, P. J. and Piacentini, M. (1991a). Apoptosis: molecular mechanisms in programmed cell death. *Eur J Cell Biol*, **56**, 170-7.
- Fesus, L., Nagy, L., Basilion, J. P. and Davies, P. J. (1991b). Retinoic acid receptor transcripts in human umbilical vein endothelial cells. *Biochem Biophys Res Commun*, **179**, 32-8.
- Fesus, L., Tarcsa, E., Kedei, N., Autuori, F. and Piacentini, M. (1991c). Degradation of cells dying by apoptosis leads to accumulation of epsilon(gamma-glutamyl)lysine isodipeptide in culture fluid and blood. *FEBS Lett*, **284**, 109-12.
- Harsfalvi, J., Fesus, L., Tarcsa, E., Laczko, J. and Loewy, A. G. (1991). The presence of a covalently cross-linked matrix in human platelets. *Biochim Biophys Acta*, **1073**, 268-74.
- Piacentini, M., Autuori, F., Dini, L., Farrace, M. G., Ghibelli, L., Piredda, L. and Fesus, L. (1991a). "Tissue" transglutaminase is specifically expressed in neonatal rat liver cells undergoing apoptosis upon epidermal growth factor-stimulation. *Cell Tissue Res*, **263**, 227-35.
- Piacentini, M., Fesus, L., Farrace, M. G., Ghibelli, L., Piredda, L. and Melino, G. (1991b). The expression of "tissue" transglutaminase in two human cancer cell lines is related with the programmed cell death (apoptosis). *Eur J Cell Biol*, **54**, 246-54.
- Tozser, J. and Berta, A. (1991). Plasminogen activator inhibitors in human tears. *Acta Ophthalmol (Copenh)*, **69**, 426-31.
- Tozser, J., Blaha, I., Copeland, T. D., Wondrak, E. M. and Oroszlan, S. (1991a). Comparison of the HIV-1 and HIV-2 proteinases using oligopeptide substrates representing cleavage sites in Gag and Gag-Pol polyproteins. *FEBS Lett*, **281**, 77-80.
- Tozser, J., Gustchina, A., Weber, I. T., Blaha, I., Wondrak, E. M. and Oroszlan, S. (1991b). Studies on the role of the S4 substrate binding site of HIV proteinases. *FEBS Lett*, **279**, 356-60.

## 1990

- Berta, A., Tozser, J. and Holly, F. J. (1990). Determination of plasminogen activator activities in normal and pathological human tears. The significance of tear plasminogen activators in the inflammatory and traumatic lesions of the cornea and the conjunctiva. *Acta Ophthalmol (Copenh)*, **68**, 508-14.
- Copeland, T. D., Wondrak, E. M., Tozser, J., Roberts, M. M. and Oroszlan, S. (1990). Substitution of proline with pipercolic acid at the scissile bond converts a peptide substrate of HIV proteinase into a selective inhibitor. *Biochem Biophys Res Commun*, **169**, 310-4.
- Szondy, Z. and Newsholme, E. A. (1990). The effect of various concentrations of nucleobases, nucleosides or glutamine on the incorporation of [3H]thymidine into DNA in rat mesenteric-lymph-node lymphocytes stimulated by phytohaemagglutinin. *Biochem J*, **270**, 437-40.
- Tarcsa, E. and Fesus, L. (1990). Determination of epsilon (gamma-glutamyl)lysine crosslink in proteins using phenylisothiocyanate derivatization and high-pressure liquid chromatographic separation. *Anal Biochem*, **186**, 135-40.
- Tozser, J. and Berta, A. (1990). Urokinase-type plasminogen activator in rabbit tears. Comparison with human tears. *Exp Eye Res*, **51**, 33-7.
- Tozser, J., Marsalko, T. M., Punyiczki, M. and Elodi, P. (1990). The enzyme capable to cleave trypsin active site titrant as substrate is a carboxylesterase with electrophoretic mobility similar to albumin. *Acta Biochim Biophys Hung*, **25**, 57-65.

## 1989

- Berta, A., Vamosi, P. and Tozser, J. (1989). [A new method for semi-quantitative alpha 1-antitrypsin determination in human tear fluid]. *Fortschr Ophthalmol*, **86**, 773-6.
- Ceru, M. P., Piacentini, M., Piredda, L., Farace, M. G., Autuori, F. and Fesus, L. (1989). Modulation of transglutaminase by retinoic acid in liver cells. *Ital J Biochem*, **38**, 278A-280A.
- Fesus, L. and Tarcsa, E. (1989). Formation of N epsilon-(gamma-glutamyl)-lysine isodipeptide in Chinese-hamster ovary cells. *Biochem J*, **263**, 843-8.
- Fesus, L., Thomazy, V., Autuori, F., Ceru, M. P., Tarcsa, E. and Piacentini, M. (1989). Apoptotic hepatocytes become insoluble in detergents and chaotropic agents as a result of transglutaminase action. *FEBS Lett*, **245**, 150-4.
- Szondy, Z., Matyasi, G. and Elodi, P. (1989). Effect of polyamines on the carbamoyl-phosphate synthase activity of CAD protein. *Acta Biochim Biophys Hung*, **24**, 107-17.
- Szondy, Z. and Newsholme, E. A. (1989a). The effect of glutamine concentration on the activity of carbamoyl-phosphate synthase II and on the incorporation of [3H]thymidine into DNA in rat mesenteric lymphocytes stimulated by phytohaemagglutinin. *Biochem J*, **261**, 979-83.
- Szondy, Z. and Newsholme, E. A. (1989b). The rate of the AMP/adenosine substrate cycle in concanavalin-A-stimulated rat lymphocytes. *Biochem J*, **261**, 739-42.
- Thomazy, V. and Fesus, L. (1989). Differential expression of tissue transglutaminase in human cells. An immunohistochemical study. *Cell Tissue Res*, **255**, 215-24.
- Tozser, J., Berta, A. and Punyiczki, M. (1989a). Plasminogen activator activity and plasminogen independent amidolytic activity in tear fluid from healthy persons and patients with anterior segment inflammation. *Clin Chim Acta*, **183**, 323-31.
- Tozser, J., Hamvas, A., Rady, P., Kertai, P. and Elodi, P. (1989b). Plasminogen activator and plasmin-like activities in experimental rat tumours. *Acta Biochim Biophys Hung*, **24**, 119-28.

## 1988

- Fesus, L. and Thomazy, V. (1988). Searching for the function of tissue transglutaminase: its possible involvement in the biochemical pathway of programmed cell death. *Adv Exp Med Biol*, **231**, 119-34.
- Kavai, M., Rasmussen, J. M., Baatrup, G., Zsindely, A. and Svehag, S. E. (1988). Inefficient binding of IgM immune complexes to erythrocyte C3b-C4b receptors (CR1) and weak incorporation of C3b-iC3b into the complexes. *Scand J Immunol*, **28**, 123-8.
- Kiss, A., Schablik, M., Zsindely, A. and Szabo, G. (1988). Defective myo-inositol-1-phosphate synthase production in an inositolless double mutant *Neurospora crassa* strain. *Acta Biochim Biophys Hung*, **23**, 215-23.
- Piacentini, M., Fesus, L., Sartori, C. and Ceru, M. P. (1988). Retinoic acid-induced modulation of rat liver transglutaminase and total polyamines in vivo. *Biochem J*, **253**, 33-8.
- Schablik, M., Kiss, A., Zsindely, A. and Szabo, G. (1988). Characterization of a mutation that causes overproduction of inositol in *Neurospora crassa*. *Mol Gen Genet*, **213**, 140-3.
- Zlateva, T. P., Krysteva, M., Balajthy, Z. and Elodi, P. (1988). Properties of chymotrypsin bound covalently to dextran. *Acta Biochim Biophys Hung*, **23**, 225-30.



## 1987

Fesus, L., Thomazy, V. and Falus, A. (1987). Induction and activation of tissue transglutaminase during programmed cell death. *FEBS Lett*, **224**, 104-8.

## 1986

Berenyi, E., Zsindely, A., Fesus, L., Szegedi, G. and Kawai, M. (1986). Acid phosphatase activity in monocytes and sera of patients with Hodgkin's disease. *Cancer Lett*, **32**, 219-22.

Cs-Szabo, G., Szell, E. and Elodi, P. (1986). Specific inhibition of human granulocyte elastase with peptide aldehydes. *FEBS Lett*, **195**, 265-8.

Feher, Z., Schablik, M., Kiss, A., Zsindely, A. and Szabo, G. (1986). Characterization of inl+ transformants of *Neurospora crassa* obtained with a recombinant cosmid-pool. *Curr Genet*, **11**, 131-7.

Szabo, G., Tozser, J., Aurell, L. and Elodi, P. (1986). Mapping of the substrate binding site of human leukocyte chymotrypsin (cathepsin G) using tripeptidyl-p-nitroanilide substrates. *Acta Biochim Biophys Hung*, **21**, 349-62.

Tozser, J., Szabo, G., Pozsgay, M., Aurell, L. and Elodi, P. (1986). Active centre studies on bovine pancreatic chymotrypsin with tripeptidyl-p-nitroanilide substrates. *Acta Biochim Biophys Hung*, **21**, 335-48.

## 1985

Aradi, J. and Ho, Y. K. (1985). Antitemplate effect of polynucleotides and their hybrid complexes. *Cancer Biochem Biophys*, **7**, 349-59.

Cs-Szabo, G., Gyani, E., Banga, I. and Elodi, P. (1985). Is elastomucoproteinase a double-headed enzyme? *Acta Biochim Biophys Acad Sci Hung*, **20**, 117-28.

Ho, Y. K., Reddy, A. R., Aradi, J., Minowada, J. and Bardos, T. J. (1985). Inhibition of DNA polymerase alpha from leukemic and normal human cells by partially thiolated human deoxyribonucleic acids. *Cancer Biochem Biophys*, **8**, 85-94.

Karsai, T., Rady, P., Nagy, Z. and Szondy, Z. (1985). Effect of dimethylnitrosamine upon carbamoyl phosphate and ornithine utilization in rat liver. *Anticancer Res*, **5**, 441-4.

Kawai, M., Seres, T., Zsindely, A. and Szegedi, G. (1985a). Immune complex clearance and anti-ENA in patients with SLE. *Scand J Rheumatol Suppl*, **56**, 98-100.

Kawai, M., Zsindely, A., Seres, T. and Szegedi, G. (1985b). Quantitation of antibodies to ENA with an ELISA on polystyrene plates precoated with mBSA. *Scand J Rheumatol Suppl*, **56**, 72-4.

Kiss, I., Aurell, L., Pozsgay, M. and Elodi, P. (1985). Investigation on the substrate specificity of human plasmin using tripeptidyl-p-nitroanilide substrates. *Biochem Biophys Res Commun*, **131**, 928-34.

Seres, T., Kawai, M., Zsindely, A. and Szegedi, G. (1985). Quantitation of anti-ENA antibodies by a modified ELISA in patients with SLE and MCTD. *Scand J Rheumatol Suppl*, **56**, 75-7.

## 1984

Kawai, M., Berenyi, E., Zsindely, A., Szegedi, G. and Fesus, L. (1984). Monocyte activation in patients with Hodgkin's disease. *Int J Cancer*, **34**, 483-5.

## 1983

Bauer, P. I., Pozsgay, M., Machovich, R., Elodi, P. and Horvath, I. (1983). The interaction of heparin with human plasmin. *Int J Biochem*, **15**, 871-4.

Elodi, S. and Elodi, P. (1983). Surface-governed molecular regulation of blood coagulation. *Mol Aspects Med*, **6**, 291-353.

Kawai, M., Zsindely, A., Sonkoly, I., Major, M., Demjan, I. and Szegedi, G. (1983). Signals of monocyte activation in patients with SLE. *Clin Exp Immunol*, **51**, 255-60.

Zsindely, A., Kiss, A., Schablik, M., Szabolcs, M. and Szabo, G. (1983). Possible role of a regulatory gene product upon the myo-inositol-1-phosphate synthase production in *Neurospora crassa*. *Biochim Biophys Acta*, **741**, 273-8.

## 1982

- Aradi, J., Zsindely, A., Kiss, A., Szabolcs, M. and Schablik, M. (1982). Separation of *Neurospora crassa* myo-inositol-1-phosphate synthase from glucose-6-phosphate dehydrogenase by affinity chromatography. *Prep Biochem*, **12**, 137-51.
- Gunda, T. E. and Punyiczki, M. (1982). beta-Lactamase inhibition by 6 alpha-thiocyanatopenicillanic acids. *J Antibiot (Tokyo)*, **35**, 367-8.
- Karsai, T. and Elodi, P. (1982). Urea cycle enzymes in human liver: ontogenesis and interaction with the synthesis of pyrimidines and polyamines. *Mol Cell Biochem*, **43**, 105-10.
- Kavai, M., Banyai, A., Zsindely, A., Sonkoly, I. and Szegedi, G. (1982a). Enzyme-linked immunosorbent assay for antibodies to native DNA in sera of patients with SLE. *J Immunol Methods*, **48**, 169-75.
- Kavai, M., Zsindely, A., Sonkoly, I., Banyai, A. and Szegedi, G. (1982b). Monocyte activation by immune complexes of patients with SLE. *Adv Exp Med Biol*, **141**, 575-82.

## 1981

- Marossy, K., Hauck, M. and Elodi, P. (1981). Purification and characterization of the chymotrypsin-like enzyme of the bovine granulocyte. *Biochim Biophys Acta*, **662**, 36-40.
- Pozsgay, M., Szabo, G., Bajusz, S., Simonsson, R., Gaspar, R. and Elodi, P. (1981a). Investigation of the substrate-binding site of trypsin by the aid of tripeptidyl-p-nitroanilide substrates. *Eur J Biochem*, **115**, 497-502.
- Pozsgay, M., Szabo, G., Bajusz, S., Simonsson, R., Gaspar, R. and Elodi, P. (1981b). Study of the specificity of thrombin with tripeptidyl-p-nitroanilide substrates. *Eur J Biochem*, **115**, 491-5.